

Metadata Downloaded from



<https://discovery.closer.ac.uk/>

## Table of Contents

<a href="#">111 - Child development</a>	6
<a href="#">Concept</a>	6
<a href="#">11101 - Infant feeding</a>	6
<a href="#">Concept</a>	6
<a href="#">Items</a>	6
<a href="#">Q2N - Child immediately accepts change in feeding time</a>	6
<a href="#">Q2P - Child wants and takes milk feeds at same time each day</a>	6
<a href="#">Q2S - Child wants an extra feeding at different time each day</a>	7
<a href="#">Q6D - Child is content during interruptions of feeding</a>	7
<a href="#">Q6P - Child wants and takes milk feeds at same time each day</a>	8
<a href="#">Q6S - Child wants and takes solid food at about the same time each day</a>	8
<a href="#">11102 - Language and vocabulary</a>	8
<a href="#">Concept</a>	8
<a href="#">Items</a>	8
<a href="#">Q3L - Has child ever said any recognisable words such as 'mama' or 'dada'</a>	9
<a href="#">Q4L - Has child ever indicated they recognise names of common objects</a>	9
<a href="#">Q5B - Has child ever said any recognisable words such as 'mama' or 'dada'</a>	9
<a href="#">Q5F - Has child ever indicated they recognise names of common objects</a>	9
<a href="#">Q5K - Has child ever said two recognisable words besides 'mama' or 'dada'</a>	9
<a href="#">Q5M - Has child ever said the names of a familiar object such as a ball</a>	10
<a href="#">11103 - Parenting</a>	10
<a href="#">Concept</a>	10
<a href="#">Items</a>	10
<a href="#">Q7A - CM and child (currently) share affectionate, warm relationship</a>	11
<a href="#">Q7B - Child will (currently) seek comfort from CM</a>	11
<a href="#">Q7C - Child is (currently) uncomfortable with physical affection or touch from CM</a>	11
<a href="#">Q7D - Child (currently) beams with pride when CM praises them</a>	12
<a href="#">Q7E - Child (currently) easily becomes angry at CM</a>	12
<a href="#">Q7F - CM (currently) finds it easy to be in tune with child's feelings</a>	13
<a href="#">Q7G - Child (currently) remains angry or resistant after being disciplined</a>	13
<a href="#">Q7H - Dealing with child (currently) drains CMs energy</a>	13
<a href="#">Q7I - If child wakes in a bad mood remainder of day is difficult (currently)</a>	13
<a href="#">Q7J - Child's feelings towards CM can (currently) be unpredictable / change suddenly</a>	14
<a href="#">Q8A - How often has CM ignored child (in last three months)</a>	14
<a href="#">Q8B - How often has CM shouted at child (in last three months)</a>	15
<a href="#">Q8C - How often has CM told child off (in last three months)</a>	15
<a href="#">Q8D - How often has CM had to bribe child (in last three months)</a>	15

Q8E - How often has CM had to smack their child (in last three months).....	16
Q9 - How often does CM read stories with or to their child.....	16
Q11A - Has either parent helped child to learn numbers.....	17
Q11B - Has either parent helped child to learn the alphabet.....	17
Q11C - Has either parent helped child to learn colours.....	17
Q11D - Has either parent helped child to learn shapes and sizes.....	17
Q11E - Neither parent has helped child to learn numbers, alphabet, colours, shapes or.....	17
11104 - Developmental milestones.....	18
<u>Concept</u> .....	18
<u>Items</u> .....	18
Q1A - Has child ever turned their head while lying on stomach.....	20
Q1B - Have child's eyes ever followed a moving object.....	20
Q1C - Has child lifted head off surface momentarily while lying on stomach.....	20
Q1D - Have child's eyes ever followed a moving object from one side to another.....	20
Q1E - Has child ever smiled at someone when they spoke to or smiled at child.....	21
Q1F - Has child ever raised head and chest while resting weight on lower arms.....	21
Q1G - Has child ever turned their head around to look at something.....	21
Q1H - Has child ever held head stiffly while lying on back & being pulled to sittin.....	21
Q1I - Has child ever laughed out loud without being tickled or touched.....	22
Q1J - Has child ever held a moderate sized object in one hand.....	22
Q1K - Has child ever rolled over on purpose.....	22
Q1L - Has child ever seemed to enjoy looking at self in mirror.....	22
Q1M - Has child ever been pulled from sitting to standing and supported own weight.....	23
Q1O - Has child ever sat alone with no help except leaning forward on hands.....	23
Q2A - Child smiles or coos during nail cutting.....	23
Q2B - Child lies quietly, makes happy noises upon waking up.....	24
Q2C - Child is pleasant during face washing.....	24
Q2D - Child is fussy when burped.....	24
Q2E - Child is fussy when put down to sleep.....	25
Q2F - Child accepts bath at any time of day without resisting.....	25
Q2G - Child objects to being bathed in a different place or by a different person.....	25
Q2H - Child adjusts and sleeps well within two days to changes of time or place.....	26
Q2I - Child resists changes in feeding schedule even after two attempts.....	26
Q2J - Child resists during routine dressing or undressing.....	26
Q2K - Child turns head away and looks for mother when held by new person.....	27
Q2L - Child is fretful for first few minutes in new place or situation.....	27
Q2M - Child appears bothered when first put down to sleep in diff place to usual.....	27
Q2O - Child objects if someone other than main care giver gives care.....	28
Q2Q - Child gets sleepy at about the same time each evening.....	28
Q2R - Child's daytime naps vary in length each day.....	28

<a href="#">Q2T - Child's fussy period occurs at about same time of day.....</a>	<a href="#">29</a>
<a href="#">Q3A - Has child ever held head stiffly while lying on back &amp; being pulled to sittin.....</a>	<a href="#">29</a>
<a href="#">Q3B - Has child ever laughed out loud without being tickled or touched.....</a>	<a href="#">29</a>
<a href="#">Q3C - Has child ever held a moderate sized object in one hand.....</a>	<a href="#">30</a>
<a href="#">Q3D - Has child ever rolled over on purpose.....</a>	<a href="#">30</a>
<a href="#">Q3E - Has child ever seemed to enjoy looking at self in mirror.....</a>	<a href="#">30</a>
<a href="#">Q3F - Has child ever been pulled from sitting to standing and supported own weight.....</a>	<a href="#">30</a>
<a href="#">Q3G - Has child ever looked around for a toy that was lost or not nearby.....</a>	<a href="#">31</a>
<a href="#">Q3H - Has child ever sat alone with no help except leaning forward on hands.....</a>	<a href="#">31</a>
<a href="#">Q3I - Has child ever sat for 10 minutes or more with no support.....</a>	<a href="#">31</a>
<a href="#">Q3J - Has child ever pulled themselves to standing position without help.....</a>	<a href="#">31</a>
<a href="#">Q3K - Has child ever crawled when left lying on stomach.....</a>	<a href="#">32</a>
<a href="#">Q3M - Has child ever picked up a small object using only thumb and first finger.....</a>	<a href="#">32</a>
<a href="#">Q3N - Has child ever walked at least two steps while holding on to something.....</a>	<a href="#">32</a>
<a href="#">Q3O - Has child ever waved goodbye without help from another person.....</a>	<a href="#">32</a>
<a href="#">Q4A - Has child ever seemed to enjoy looking at self in mirror.....</a>	<a href="#">32</a>
<a href="#">Q4B - Has child ever been pulled from sitting to standing and supported own weight.....</a>	<a href="#">33</a>
<a href="#">Q4C - Has child ever looked around for a toy that was lost or not nearby.....</a>	<a href="#">33</a>
<a href="#">Q4D - Has child ever sat alone with no help except leaning forward on hands.....</a>	<a href="#">33</a>
<a href="#">Q4E - Has child ever sat for 10 minutes or more with no support.....</a>	<a href="#">33</a>
<a href="#">Q4F - Has child ever pulled themselves to standing position without help.....</a>	<a href="#">34</a>
<a href="#">Q4G - Has child ever crawled when left lying on stomach.....</a>	<a href="#">34</a>
<a href="#">Q4H - Has child ever said any recognisable words such as "mama" or "dada".....</a>	<a href="#">34</a>
<a href="#">Q4I - Has child ever picked up a small object using only thumb and first finger.....</a>	<a href="#">34</a>
<a href="#">Q4J - Has child ever walked at least two steps while holding on to something.....</a>	<a href="#">34</a>
<a href="#">Q4K - Has child ever waved goodbye without help from another person.....</a>	<a href="#">35</a>
<a href="#">Q4M - Has child ever shown that they want something (not by crying).....</a>	<a href="#">35</a>
<a href="#">Q4N - Has child ever stood alone on their feet for 10 seconds or more.....</a>	<a href="#">35</a>
<a href="#">Q4O - Has child ever walked at least two steps without holding on to anything.....</a>	<a href="#">35</a>
<a href="#">Q5A - Has child ever crawled when left lying on stomach.....</a>	<a href="#">36</a>
<a href="#">Q5C - Has child ever picked up a small object using only thumb and first finger.....</a>	<a href="#">36</a>
<a href="#">Q5D - Has child ever walked at least two steps while holding on to something.....</a>	<a href="#">36</a>
<a href="#">Q5E - Has child ever waved goodbye without help from another person.....</a>	<a href="#">36</a>
<a href="#">Q5G - Has child ever shown that they want something (not by crying).....</a>	<a href="#">37</a>
<a href="#">Q5H - Has child ever stood alone on their feet for 10 seconds or more.....</a>	<a href="#">37</a>
<a href="#">Q5I - Has child ever walked at least two steps without holding on to anything.....</a>	<a href="#">37</a>
<a href="#">Q5J - Has child ever crawled up at least two stairs or steps.....</a>	<a href="#">37</a>
<a href="#">Q5L - Has child ever run.....</a>	<a href="#">38</a>
<a href="#">Q5N - Has child ever made a line with a crayon or pencil.....</a>	<a href="#">38</a>
<a href="#">Q5O - Has child ever walked up at least two stairs while holding on to something.....</a>	<a href="#">38</a>

<a href="#">Q6A - Child makes happy sounds when having nappy changed or being dressed</a>	38
<a href="#">Q6B - Child is pleasant when first arriving in unfamiliar places</a>	39
<a href="#">Q6C - Child is pleasant during face washing</a>	39
<a href="#">Q6E - Child remains pleasant or calm with minor injuries</a>	39
<a href="#">Q6F - Child objects to being bathed in a different place or by a different person</a>	39
<a href="#">Q6G - Child is still wary of strangers after 15 minutes</a>	40
<a href="#">Q6H - Child adjusts within 10 minutes to new surroundings</a>	40
<a href="#">Q6I - Child adjusts easily and sleeps well within two days to changes of time/ place</a>	40
<a href="#">Q6J - Child accepts bath at any time of day without resisting</a>	41
<a href="#">Q6K - Child is shy when meeting another child for the first time</a>	41
<a href="#">Q6L - Child is fretful for first few minutes in new place or situation</a>	41
<a href="#">Q6M - Child appears bothered when first put down to sleep in diff place to usual</a>	42
<a href="#">Q6N - Child initially rejects new babysitter</a>	42
<a href="#">Q6O - Child initially accepts approach by strangers at home</a>	42
<a href="#">Q6Q - Child gets sleepy at about the same time each evening</a>	43
<a href="#">Q6R - Child's daytime naps are about the same length each day</a>	43
<a href="#">Q6T - How often does child fuss or cry before going to sleep</a>	43
<a href="#">Q10 - Number of books child has (inc. those shared with siblings)</a>	44

## 111 - Child development

Child development

Concept

111 - Child development

## 11101 - Infant feeding

Infant feeding

Concept

11101 - Infant feeding

Items

- [Q2N - Child immediately accepts change in feeding time](#)
- [Q2P - Child wants and takes milk feeds at same time each day](#)
- [Q2S - Child wants an extra feeding at different time each day](#)
- [Q6D - Child is content during interruptions of feeding](#)
- [Q6P - Child wants and takes milk feeds at same time each day](#)
- [Q6S - Child wants and takes solid food at about the same time each day](#)

### Q2N - Child immediately accepts change in feeding time

Type	Code
qi_2_n	Your child accepts right away a change in feeding time
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

### Q2P - Child wants and takes milk feeds at same time each day

Type	Code
------	------


qi_2_p	Your child wants and takes milk feedings at about the same times (within 1 hour) from day to day
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

### Q2S - Child wants an extra feeding at different time each day

Type	Code
qi_2_s	Your child wants an extra feeding at a different time each day (over 1 hour in difference)
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

### Q6D - Child is content during interruptions of feeding

Type	Code
qi_6_d	Your child is content (smiles, coos) during interruptions of milk or solid feeding
-9	Not answered
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

 Q6P - Child wants and takes milk feeds at same time each day

Type	Code
qi_6_p	Your child wants and takes milk feeds at about the same time (within one hour) from day to day
-9	Not answered
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

 Q6S - Child wants and takes solid food at about the same time each day

Type	Code
qi_6_s	Your child wants and takes solid food at about the same time (within 1 hour) from day to day
-9	Not answered
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

 11102 - Language and vocabulary

Language and vocabulary

Concept

11102 - Language and vocabulary

Items


- [Q3L](#) - Has child ever said any recognisable words such as "mama" or "dada"
- [Q4L](#) - Has child ever indicated they recognise names of common objects
- [Q5B](#) - Has child ever said any recognisable words such as "mama" or "dada"
- [Q5F](#) - Has child ever indicated they recognise names of common objects



- Q5K - Has child ever said two recognisable words besides 'mama' or 'dada'?
- Q5M - Has child ever said the names of a familiar object such as a ball

 Q3L - Has child ever said any recognisable words such as 'mama' or 'dada'?


Type	Code
qi_3_l	Has your child ever said any recognisable words such as 'mama' or 'dada'?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q4L - Has child ever indicated they recognise names of common objects

Type	Code
qi_4_l	Has your child ever shown by his or her behaviour that he or she knows the name of common objects when somebody else names them out loud?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q5B - Has child ever said any recognisable words such as 'mama' or 'dada'?

Type	Code
qi_5_b	Has your child ever said any recognisable words such as 'mama' or 'dada'?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q5F - Has child ever indicated they recognise names of common objects

Type	Code
qi_5_f	Has your child ever shown by his or her behaviour that he or she knows the name of common objects when somebody else names them out loud?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q5K - Has child ever said two recognisable words besides 'mama' or 'dada'?

Type	Code
qi_5_k	Has your child ever said two recognisable words besides 'mama' or 'dada'?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

### Q5M - Has child ever said the names of a familiar object such as a ball

Type	Code
qi_5_m	Has your child ever said the names of a familiar object, such as a ball?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

### 11103 - Parenting

Parenting

Concept

11103 - Parenting

Items

- Q7A - CM and child (currently) share affectionate, warm relationship
- Q7B - Child will (currently) seek comfort from CM
- Q7C - Child is (currently) uncomfortable with physical affection or touch from CM
- Q7D - Child (currently) beams with pride when CM praises them
- Q7E - Child (currently) easily becomes angry at CM
- Q7F - CM (currently) finds it easy to be in tune with child's feelings
- Q7G - Child (currently) remains angry or resistant after being disciplined
- Q7H - Dealing with child (currently) drains CMs energy
- Q7I - If child wakes in a bad mood remainder of day is difficult (currently)
- Q7J - Child's feelings towards CM can (currently) be unpredictable / change suddenly
- Q8A - How often has CM ignored child (in last three months)
- Q8B - How often has CM shouted at child (in last three months)
- Q8C - How often has CM told child off (in last three months)
- Q8D - How often has CM had to bribe child (in last three months)
- Q8E - How often has CM had to smack their child (in last three months)
- Q9 - How often does CM read stories with or to their child
- Q11A - Has either parent helped child to learn numbers

- Q11B - Has either parent helped child to learn the alphabet
- Q11C - Has either parent helped child to learn colours
- Q11D - Has either parent helped child to learn shapes and sizes
- Q11E - Neither parent has helped child to learn numbers, alphabet, colours, shapes or

#### Q7A - CM and child (currently) share affectionate, warm relationship

Type	Code
qg_7	These questions are about your relationship with your child. Please think about how far each of the statements currently applies to your relationship with your child.
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Definitely does not apply
2	Not really
3	Neutral, not sure
4	Applies sometimes
5	Definitely applies

#### Q7B - Child will (currently) seek comfort from CM

Type	Code
qg_7	These questions are about your relationship with your child. Please think about how far each of the statements currently applies to your relationship with your child.
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Definitely does not apply
2	Not really
3	Neutral, not sure
4	Applies sometimes
5	Definitely applies


#### Q7C - Child is (currently) uncomfortable with physical affection or touch from CM

Type	Code
qg_7	These questions are about your relationship with your child. Please think about how far each of the statements currently applies to your relationship with your child.
-9	Not answered

-8	Don't know
-1	Item not applicable
1	Definitely does not apply
2	Not really
3	Neutral, not sure
4	Applies sometimes
5	Definitely applies

 Q7D - Child (currently) beams with pride when CM praises them

Type	Code
qg_7	These questions are about your relationship with your child. Please think about how far each of the statements currently applies to your relationship with your child.
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Definitely does not apply
2	Not really
3	Neutral, not sure
4	Applies sometimes
5	Definitely applies

 Q7E - Child (currently) easily becomes angry at CM


Type	Code
qg_7	These questions are about your relationship with your child. Please think about how far each of the statements currently applies to your relationship with your child.
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Definitely does not apply
2	Not really
3	Neutral, not sure
4	Applies sometimes
5	Definitely applies

 Q7F - CM (currently) finds it easy to be in tune with child's feelings

Type	Numeric
qg_7	These questions are about your relationship with your child. Please think about how far each of the statements currently applies to your relationship with your child.

 Q7G - Child (currently) remains angry or resistant after being disciplined

Type	Code
qg_7	These questions are about your relationship with your child. Please think about how far each of the statements currently applies to your relationship with your child.
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Definitely does not apply
2	Not really
3	Neutral, not sure
4	Applies sometimes
5	Definitely applies

 Q7H - Dealing with child (currently) drains CMs energy

Type	Code
qg_7	These questions are about your relationship with your child. Please think about how far each of the statements currently applies to your relationship with your child.
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Definitely does not apply
2	Not really
3	Neutral, not sure
4	Applies sometimes
5	Definitely applies

 Q7I - If child wakes in a bad mood remainder of day is difficult (currently)

Type	Code
------	------

qg_7	These questions are about your relationship with your child. Please think about how far each of the statements currently applies to your relationship with your child.
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Definitely does not apply
2	Not really
3	Neutral, not sure
4	Applies sometimes
5	Definitely applies

 Q7J - Child's feelings towards CM can (currently) be unpredictable / change suddenly

Type	Code
qg_7	These questions are about your relationship with your child. Please think about how far each of the statements currently applies to your relationship with your child.
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Definitely does not apply
2	Not really
3	Neutral, not sure
4	Applies sometimes
5	Definitely applies

 Q8A - How often has CM ignored child (in last three months)

Type	Code
qg_8	Sometimes children are pretty well behaved and other times they are not. We are interested in what parents do when their children misbehave. Please think about how your child has been in the last three months.
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Never
2	Rarely

3	Sometimes (about once a month)
4	Often (about once a week)
5	Daily

#### Q8B - How often has CM shouted at child (in last three months)

Type	Code
qg_8	Sometimes children are pretty well behaved and other times they are not. We are interested in what parents do when their children misbehave. Please think about how your child has been in the last three months.
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Never
2	Rarely
3	Sometimes (about once a month)
4	Often (about once a week)
5	Daily

#### Q8C - How often has CM told child off (in last three months)

Type	Code
qg_8	Sometimes children are pretty well behaved and other times they are not. We are interested in what parents do when their children misbehave. Please think about how your child has been in the last three months.
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Never
2	Rarely
3	Sometimes (about once a month)
4	Often (about once a week)
5	Daily

#### Q8D - How often has CM had to bribe child (in last three months)

Type	Code
qg_8	Sometimes children are pretty well behaved and other times they are not. We are interested in what parents do when their children misbehave. Please think about how your child has been in the last three months.

-9	Not answered
-8	Don't know
-1	Item not applicable
1	Never
2	Rarely
3	Sometimes (about once a month)
4	Often (about once a week)
5	Daily

 Q8E - How often has CM had to smack their child (in last three months)

Type	Code
qg_8	Sometimes children are pretty well behaved and other times they are not. We are interested in what parents do when their children misbehave. Please think about how your child has been in the last three months.
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Never
2	Rarely
3	Sometimes (about once a month)
4	Often (about once a week)
5	Daily

 Q9 - How often does CM read stories with or to their child

Type	Code
qi_9	Approximately how often do you get the chance to read stories with or to your child?
-9	Not answered
-8	Don't know (8)
-1	Item not applicable
1	Every day
2	Several times a week
3	Several times a month
4	Several times a year
5	Never



 Q11A - Has either parent helped child to learn numbers

Type	Code
qi_11	Have you or your child's other parent ever helped your child to learn any of the following...
-9	Not answered
1	Yes
2	No

 Q11B - Has either parent helped child to learn the alphabet

Type	Code
qi_11	Have you or your child's other parent ever helped your child to learn any of the following...
-9	Not answered
1	Yes
2	No

 Q11C - Has either parent helped child to learn colours

Type	Code
qi_11	Have you or your child's other parent ever helped your child to learn any of the following...
-9	Not answered
1	Yes
2	No

 Q11D - Has either parent helped child to learn shapes and sizes

Type	Code
qi_11	Have you or your child's other parent ever helped your child to learn any of the following...
-9	Not answered
1	Yes
2	No

 Q11E - Neither parent has helped child to learn numbers, alphabet, colours, shapes or

Type	Code
qi_11	Have you or your child's other parent ever helped your child to learn any of the following...
-9	Not answered
1	Yes

2	No
---	----

## 11104 - Developmental milestones

Developmental milestones

Concept

11104 - Developmental milestones

Items

- Q1A - Has child ever turned their head while lying on stomach
- Q1B - Have child's eyes ever followed a moving object
- Q1C - Has child lifted head off surface momentarily while lying on stomach
- Q1D - Have child's eyes ever followed a moving object from one side to another
- Q1E - Has child ever smiled at someone when they spoke to or smiled at child
- Q1F - Has child ever raised head and chest while resting weight on lower arms
- Q1G - Has child ever turned their head around to look at something
- Q1H - Has child ever held head stiffly while lying on back & being pulled to sitting
- Q1I - Has child ever laughed out loud without being tickled or touched
- Q1J - Has child ever held a moderate sized object in one hand
- Q1K - Has child ever rolled over on purpose
- Q1L - Has child ever seemed to enjoy looking at self in mirror
- Q1M - Has child ever been pulled from sitting to standing and supported own weight
- Q1O - Has child ever sat alone with no help except leaning forward on hands
- Q2A - Child smiles or coos during nail cutting
- Q2B - Child lies quietly, makes happy noises upon waking up
- Q2C - Child is pleasant during face washing
- Q2D - Child is fussy when burped
- Q2E - Child is fussy when put down to sleep
- Q2F - Child accepts bath at any time of day without resisting
- Q2G - Child objects to being bathed in a different place or by a different person
- Q2H - Child adjusts and sleeps well within two days to changes of time or place
- Q2I - Child resists changes in feeding schedule even after two attempts
- Q2J - Child resists during routine dressing or undressing
- Q2K - Child turns head away and looks for mother when held by new person
- Q2L - Child is fretful for first few minutes in new place or situation
- Q2M - Child appears bothered when first put down to sleep in diff place to usual
- Q2O - Child objects if someone other than main care giver gives care
- Q2Q - Child gets sleepy at about the same time each evening
- Q2R - Child's daytime naps vary in length each day
- Q2T - Child's fussy period occurs at about same time of day
- Q3A - Has child ever held head stiffly while lying on back & being pulled to sitting
- Q3B - Has child ever laughed out loud without being tickled or touched
- Q3C - Has child ever held a moderate sized object in one hand

- Q3D - Has child ever rolled over on purpose
- Q3E - Has child ever seemed to enjoy looking at self in mirror
- Q3F - Has child ever been pulled from sitting to standing and supported own weight
- Q3G - Has child ever looked around for a toy that was lost or not nearby
- Q3H - Has child ever sat alone with no help except leaning forward on hands
- Q3I - Has child ever sat for 10 minutes or more with no support
- Q3J - Has child ever pulled themselves to standing position without help
- Q3K - Has child ever crawled when left lying on stomach
- Q3M - Has child ever picked up a small object using only thumb and first finger
- Q3N - Has child ever walked at least two steps while holding on to something
- Q3O - Has child ever waved goodbye without help from another person
- Q4A - Has child ever seemed to enjoy looking at self in mirror
- Q4B - Has child ever been pulled from sitting to standing and supported own weight
- Q4C - Has child ever looked around for a toy that was lost or not nearby
- Q4D - Has child ever sat alone with no help except leaning forward on hands
- Q4E - Has child ever sat for 10 minutes or more with no support
- Q4F - Has child ever pulled themselves to standing position without help
- Q4G - Has child ever crawled when left lying on stomach
- Q4H - Has child ever said any recognisable words such as "mama" or "dada"
- Q4I - Has child ever picked up a small object using only thumb and first finger
- Q4J - Has child ever walked at least two steps while holding on to something
- Q4K - Has child ever waved goodbye without help from another person
- Q4M - Has child ever shown that they want something (not by crying)
- Q4N - Has child ever stood alone on their feet for 10 seconds or more
- Q4O - Has child ever walked at least two steps without holding on to anything
- Q5A - Has child ever crawled when left lying on stomach
- Q5C - Has child ever picked up a small object using only thumb and first finger
- Q5D - Has child ever walked at least two steps while holding on to something
- Q5E - Has child ever waved goodbye without help from another person
- Q5G - Has child ever shown that they want something (not by crying)
- Q5H - Has child ever stood alone on their feet for 10 seconds or more
- Q5I - Has child ever walked at least two steps without holding on to anything
- Q5J - Has child ever crawled up at least two stairs or steps
- Q5L - Has child ever run
- Q5N - Has child ever made a line with a crayon or pencil
- Q5O - Has child ever walked up at least two stairs while holding on to something
- Q6A - Child makes happy sounds when having nappy changed or being dressed
- Q6B - Child is pleasant when first arriving in unfamiliar places
- Q6C - Child is pleasant during face washing
- Q6E - Child remains pleasant or calm with minor injuries
- Q6F - Child objects to being bathed in a different place or by a different person
- Q6G - Child is still wary of strangers after 15 minutes
- Q6H - Child adjusts within 10 minutes to new surroundings
- Q6I - Child adjusts easily and sleeps well within two days to changes of time/ place
- Q6J - Child accepts bath at any time of day without resisting
- Q6K - Child is shy when meeting another child for the first time
- Q6L - Child is fretful for first few minutes in new place or situation
- Q6M - Child appears bothered when first put down to sleep in diff place to usual

- Q6N - Child initially rejects new babysitter
- Q6O - Child initially accepts approach by strangers at home
- Q6Q - Child gets sleepy at about the same time each evening
- Q6R - Child's daytime naps are about the same length each day
- Q6T - How often does child fuss or cry before going to sleep
- Q10 - Number of books child has (inc. those shared with siblings)

#### Q1A - Has child ever turned their head while lying on stomach

Type	Code
qi_1_a	When lying on his or her stomach, has your child ever turned his or her head from side to side?
-9	Not answered
-8	Don't know (8)
-1	Item not applicable
1	Yes
2	No

#### Q1B - Have child's eyes ever followed a moving object

Type	Code
qi_1_b	Have your child's eyes ever followed a moving object?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q1C - Has child lifted head off surface momentarily while lying on stomach

Type	Code
qi_1_c	When lying on his or her stomach on a flat surface, has your child ever lifted his or her head off the surface for a moment?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q1D - Have child's eyes ever followed a moving object from one side to another

Type	Code
qi_1_d	Have your child's eyes ever followed a moving object all the way from one side to the other?
-9	Not answered

-1	Item not applicable
1	Yes
2	No

#### Q1E - Has child ever smiled at someone when they spoke to or smiled at child

Type	Code
qi_1_e	Has your child ever smiled at someone when that person talked or smiled at (but did not touch) him or her?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q1F - Has child ever raised head and chest while resting weight on lower arms

Type	Code
qi_1_f	When lying on his or her stomach, has your child ever raised his or her head and chest from the surface while resting his or her weight on his or her lower arms or hands?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q1G - Has child ever turned their head around to look at something

Type	Code
qi_1_g	Has your child ever turned his or her head around to look at something?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q1H - Has child ever held head stiffly while lying on back & being pulled to sittin

Type	Code
qi_1_h	While lying on his or her back and being pulled up to a sitting position, has your child ever held his or her head stiffly so that it did not hang back as he or she was pulled up?

qi_3_a	While lying on his or her back and being pulled up to a sitting position, has your child ever held his or her head stiffly so that it did not hang back as he or she was pulled up?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q1I - Has child ever laughed out loud without being tickled or touched

Type	Code
qi_1_i	Has your child ever laughed out loud without being tickled or touched
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q1J - Has child ever held a moderate sized object in one hand

Type	Code
qi_1_j	Has your child ever held in one hand a moderate sized object, such as a block or rattle?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q1K - Has child ever rolled over on purpose

Type	Code
qi_1_k	Has your child ever rolled over on his or her own on purpose?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q1L - Has child ever seemed to enjoy looking at self in mirror

Type	Code
qi_1_l	Has your child ever seemed to enjoy looking in the mirror at him or herself?
qi_4_a	Has your child ever seemed to enjoy looking in the mirror at him or herself?

-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q1M - Has child ever been pulled from sitting to standing and supported own weight

Type	Code
qi_1_m	Has your child ever been pulled from a sitting to a standing position and supported his or her own weight with legs stretched out?
qi_3_f	Has your child ever been pulled from a sitting to a standing position and supported his or her own weight with legs stretched out?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q1O - Has child ever sat alone with no help except leaning forward on hands

Type	Code
qi_1_o	Has your child ever sat alone with no help except for leaning forward on his or her hands or with just a little help from someone else?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q2A - Child smiles or coos during nail cutting

Type	Code
qi_2_a	Your child smiles or coos during nail cutting
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

 Q2B - Child lies quietly, makes happy noises upon waking up

Type	Code
qi_2_b	Your child is pleasant, lies quietly, making happy noises upon waking up
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

 Q2C - Child is pleasant during face washing

Type	Code
qi_2_c	Your child is pleasant (coos, smiles) during face washing
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

 Q2D - Child is fussy when burped

Type	Code
qi_2_d	Your child is fussy when burped (cries, fusses) during feeding
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often



5	Almost always
---	---------------

### Q2E - Child is fussy when put down to sleep

Type	Code
qi_2_e	Your child is fussy when put down for sleep (cries or frets)
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

### Q2F - Child accepts bath at any time of day without resisting

Type	Code
qi_2_f	Your child accepts his or her bath any time of day without resisting
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

### Q2G - Child objects to being bathed in a different place or by a different person

Type	Code
qi_2_g	Your child objects (fusses, squirms) to being bathed by a different person even after 2 or 3 tries
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely

3	Usually does not
4	Often
5	Almost always

### Q2H - Child adjusts and sleeps well within two days to changes of time or place

Type	Code
qi_2_h	Your child adjusts to change in place of sleeping within 2 or 3 days
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

### Q2I - Child resists changes in feeding schedule even after two attempts

Type	Code
qi_2_i	Your child resists changes in feeding schedule (1 hour or more) even after 2 tries
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

### Q2J - Child resists during routine dressing or undressing

Type	Code
qi_2_j	Your child resists (squirms or fusses) during routine dressing or undressing
-9	Not answered
-8	Don't know
-1	Item not applicable

1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

### Q2K - Child turns head away and looks for mother when held by new person

Type	Code
qi_2_k	Your child turns the head away and looks for the mother or main care giver when held by a new person
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always


### Q2L - Child is fretful for first few minutes in new place or situation

Type	Code
qi_2_l	For the first few minutes in a new place or situation (new shop or home) your child is fretful
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

### Q2M - Child appears bothered when first put down to sleep in diff place to usual

Type	Code
qi_2_m	Your child appears bothered (cries, squirms) when first put down to sleep in a different place than usual

-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

 Q2O - Child objects if someone other than main care giver gives care

Type	Code
qi_2_o	Your child objects (cries, frets) if someone other than the mother or main care giver gives care
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

 Q2Q - Child gets sleepy at about the same time each evening

Type	Code
qi_2_q	Your child gets sleepy about the same time each evening (within 1/2 hour)
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

 Q2R - Child's daytime naps vary in length each day

Type	Code
qi_2_r	Your child's day time naps are varied in length from day to day (more than 1 hour in difference)
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

### Q2T - Child's fussy period occurs at about same time of day

Type	Code
qi_2_t	Your child's fussy period occurs at or about the same time of day (morning, afternoon, night)
-9	Not answered
-8	Don't know
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

### Q3A - Has child ever held head stiffly while lying on back & being pulled to sitting

Type	Code
qi_3_a	While lying on his or her back and being pulled up to a sitting position, has your child ever held his or her head stiffly so that it did not hang back as he or she was pulled up?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

### Q3B - Has child ever laughed out loud without being tickled or touched

Type	Code
------	------

qi_3_b	Has your child ever laughed out loud without being tickled or touched?	
-9	Not answered	
-1	Item not applicable	
1	Yes	
2	No	

#### Q3C - Has child ever held a moderate sized object in one hand

Type	Code	
qi_3_c	Has your child ever held in one hand a moderate sized object, such as a block or rattle?	
-9	Not answered	
-1	Item not applicable	
1	Yes	
2	No	

#### Q3D - Has child ever rolled over on purpose

Type	Code	
qi_3_d	Has your child ever rolled over on his or her own on purpose?	
-9	Not answered	
-1	Item not applicable	
1	Yes	
2	No	

#### Q3E - Has child ever seemed to enjoy looking at self in mirror

Type	Code	
qi_3_e	Has your child ever seemed to enjoy looking in the mirror at him or herself?	
-9	Not answered	
-1	Item not applicable	
1	Yes	
2	No	


#### Q3F - Has child ever been pulled from sitting to standing and supported own weight

Type	Code	
qi_3_f	Has your child ever been pulled from a sitting to a standing position and supported his or her own weight with legs stretched out?	
-9	Not answered	
-1	Item not applicable	

1	Yes
2	No

 Q3G - Has child ever looked around for a toy that was lost or not nearby

Type	Code
qi_3_g	Has your child ever looked around for a toy which was lost or not nearby?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q3H - Has child ever sat alone with no help except leaning forward on hands

Type	Code
qi_3_h	Has your child ever sat alone with no help except for leaning forward on his or her hands or with just a little help from someone else?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q3I - Has child ever sat for 10 minutes or more with no support

Type	Code
qi_3_i	Has your child ever sat for 10 minutes or more with no support at all?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q3J - Has child ever pulled themselves to standing position without help

Type	Code
qi_3_j	Has your child ever pulled him or herself to a standing position without help from another person?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q3K - Has child ever crawled when left lying on stomach

Type	Code
qi_3_k	Has your child ever crawled when left lying on his or her stomach?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q3M - Has child ever picked up a small object using only thumb and first finger

Type	Code
qi_3_m	Has your child ever picked up any small objects, such as raisins or biscuit crumbs, using only his or her thumb and first finger?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q3N - Has child ever walked at least two steps while holding on to something

Type	Code
qi_3_n	Has your child ever walked at least two steps with one hand held or holding on to something?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q3O - Has child ever waved goodbye without help from another person

Type	Code
qi_3_o	Has your child ever waved goodbye without help from another person?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q4A - Has child ever seemed to enjoy looking at self in mirror

Type	Code
qi_4_a	Has your child ever seemed to enjoy looking in the mirror at him or herself?



-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q4B - Has child ever been pulled from sitting to standing and supported own weight

Type	Code
qi_4_b	Has your child ever been pulled from a sitting to a standing position and supported his or her own weight with legs stretched out?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q4C - Has child ever looked around for a toy that was lost or not nearby

Type	Code
qi_4_c	Has your child ever looked around for a toy which was lost or not nearby?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q4D - Has child ever sat alone with no help except leaning forward on hands

Type	Code
qi_4_d	Has your child ever sat alone with no help except for leaning forward on his or her hands or with just a little help from someone else?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q4E - Has child ever sat for 10 minutes or more with no support

Type	Code
qi_4_e	Has your child ever sat for 10 minutes or more with no support at all?
-9	Not answered
-1	Item not applicable
1	Yes

2	No
---	----

#### Q4F - Has child ever pulled themselves to standing position without help

Type	Code
qi_4_f	Has your child ever pulled him or herself to a standing position without help from another person?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q4G - Has child ever crawled when left lying on stomach

Type	Code
qi_4_g	Has your child ever crawled when left lying on his or her stomach?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q4H - Has child ever said any recognisable words such as 'mama' or 'dada'?

Type	Code
qi_4_h	Has your child ever said any recognisable words such as 'mama' or 'dada'?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q4I - Has child ever picked up a small object using only thumb and first finger


Type	Code
qi_4_i	Has your child ever picked up any small objects, such as raisins or biscuit crumbs, using only his or her thumb and first finger?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q4J - Has child ever walked at least two steps while holding on to something

Type	Code
qi_4_j	Has your child ever walked at least two steps with one hand held or holding on to something?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q4K - Has child ever waved goodbye without help from another person

Type	Code
qi_4_k	Has your child ever waved goodbye without help from another person?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q4M - Has child ever shown that they want something (not by crying)

Type	Code
qi_4_m	Has your child ever shown that he or she wanted something by pointing, pulling, or making pleasant sounds, rather than by crying or whining?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q4N - Has child ever stood alone on their feet for 10 seconds or more

Type	Code
qi_4_n	Has your child ever stood alone on his or her feet for 10 seconds or more without holding on to anything or another person?
-9	Not answered
-1	Item not applicable
1	Yes
2	No


 Q4O - Has child ever walked at least two steps without holding on to anything

Type	Code
qi_4_o	Has your child ever walked at least two steps without holding on to anything or another person?

-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q5A - Has child ever crawled when left lying on stomach

Type	Code
qi_5_a	Has your child ever crawled when left lying on his or her stomach?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q5C - Has child ever picked up a small object using only thumb and first finger

Type	Code
qi_5_c	Has your child ever picked up any small objects, such as raisins or biscuit crumbs, using only his or her thumb and first finger?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q5D - Has child ever walked at least two steps while holding on to something

Type	Code
qi_5_d	Has your child ever walked at least two steps with one hand held or holding on to something?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q5E - Has child ever waved goodbye without help from another person

Type	Code
qi_5_e	Has your child ever waved goodbye without help from another person?
-9	Not answered
-1	Item not applicable
1	Yes

2	No
---	----

#### Q5G - Has child ever shown that they want something (not by crying)

Type	Code
qi_5_g	Has your child ever shown that he or she wanted something by pointing, pulling, or making pleasant sounds, rather than by crying or whining?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q5H - Has child ever stood alone on their feet for 10 seconds or more

Type	Code
qi_5_h	Has your child ever stood alone on his or her feet for 10 seconds or more without holding on to anything or another person?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q5I - Has child ever walked at least two steps without holding on to anything

Type	Code
qi_5_i	Has your child ever walked at least two steps without holding on to anything or another person?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

#### Q5J - Has child ever crawled up at least two stairs or steps


Type	Code
qi_5_j	Has your child ever crawled up at least two stairs or steps?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q5L - Has child ever run


Type	Code
qi_5_l	Has your child ever run?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q5N - Has child ever made a line with a crayon or pencil

Type	Code
qi_5_n	Has your child ever made a line with a crayon or pencil?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q5O - Has child ever walked up at least two stairs while holding on to something

Type	Code
qi_5_o	Has your child ever walked up at least two stairs with one hand held or holding the railing?
-9	Not answered
-1	Item not applicable
1	Yes
2	No

 Q6A - Child makes happy sounds when having nappy changed or being dressed

Type	Code
qi_6_a	Your child makes happy sounds (coos, laughs) when having his or her nappy changed, or being dressed
-9	Not answered
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

 Q6B - Child is pleasant when first arriving in unfamiliar places


Type	Code
qi_6_b	Your child is pleasant (smiles, laughs) when first arriving in unfamiliar places (friend's house, shop)
-9	Not answered
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

 Q6C - Child is pleasant during face washing

Type	Code
qi_6_c	Your child is pleasant (coos, smiles) during face washing
-9	Not answered
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

 Q6E - Child remains pleasant or calm with minor injuries

Type	Code
qi_6_e	Your child cries remains pleasant or calm with minor injuries (bumps, pinches)
-9	Not answered
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

 Q6F - Child objects to being bathed in a different place or by a different person

Type	Code
qi_6_f	Your child objects to being bathed in a different place or by a different person after 2 or 3 tries
-9	Not answered
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

#### Q6G - Child is still wary of strangers after 15 minutes

Type	Code
qi_6_g	Your child is still wary or frightened of strangers after 15 minutes
-9	Not answered
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

#### Q6H - Child adjusts within 10 minutes to new surroundings

Type	Code
qi_6_h	Your child adjusts within 10 minutes to new surroundings (home, shop, play area, etc.)
-9	Not answered
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

#### Q6I - Child adjusts easily and sleeps well within two days to changes of time/ place

Type	Code
------	------



qi_6_i	Your child adjusts easily and sleeps well within 1 or 2 days with changes of time or place
-9	Not answered
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

#### Q6J - Child accepts bath at any time of day without resisting

Type	Code
qi_6_j	Your child accepts his or her bath any time of the day without resisting it
-9	Not answered
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

#### Q6K - Child is shy when meeting another child for the first time

Type	Code
qi_6_k	Your child is shy (turns away or clings to you) on meeting another child for the first time
-9	Not answered
-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

#### Q6L - Child is fretful for first few minutes in new place or situation

Type	Code
------	------

qi_6_l	For the first few minutes in a new place or situation (new shop or home) your child is fretful	
-9	Not answered	
-1	Item not applicable	
1	Almost never	
2	Rarely	
3	Usually does not	
4	Often	
5	Almost always	

#### Q6M - Child appears bothered when first put down to sleep in diff place to usual

Type	Code	
qi_6_m	Your child appears bothered (cries or squirms) when first put down in a different sleeping place	
-9	Not answered	
-1	Item not applicable	
1	Almost never	
2	Rarely	
3	Usually does not	
4	Often	
5	Almost always	

#### Q6N - Child initially rejects new babysitter

Type	Code	
qi_6_n	Your child's initial reaction to a new babysitter is rejection (crying, clinging to mother or main carer)	
-9	Not answered	
-1	Item not applicable	
1	Almost never	
2	Rarely	
3	Usually does not	
4	Often	
5	Almost always	


#### Q6O - Child initially accepts approach by strangers at home

Type	Code	
------	------	--

qi_6_o	Your child's initial reaction at home to approach by strangers is acceptance	
-9	Not answered	
-1	Item not applicable	
1	Almost never	
2	Rarely	
3	Usually does not	
4	Often	
5	Almost always	

 Q6Q - Child gets sleepy at about the same time each evening

Type	Code	
qi_6_q	Your child gets sleepy at about the same time each evening (within half an hour)	
-9	Not answered	
-1	Item not applicable	
1	Almost never	
2	Rarely	
3	Usually does not	
4	Often	
5	Almost always	

 Q6R - Child's daytime naps are about the same length each day

Type	Code	
qi_6_r	Your child's daytime naps are about the same length from day to day	
-9	Not answered	
-1	Item not applicable	
1	Almost never	
2	Rarely	
3	Usually does not	
4	Often	
5	Almost always	

 Q6T - How often does child fuss or cry before going to sleep

Type	Code	
qi_6_t	How often does your child make a fuss or cry before going to sleep?	
-9	Not answered	

-1	Item not applicable
1	Almost never
2	Rarely
3	Usually does not
4	Often
5	Almost always

 Q10 - Number of books child has (inc. those shared with siblings)

Type	Code
qi_10	Approximately how many books does your child have (including books shared with brothers and sisters)?
-9	Not answered
-8	Don't know (8)
-1	Item not applicable
1	No books
2	1-2 books
3	3-9 books
4	10-19 books
5	20-49 books
6	50 plus