

Metadata Downloaded from

1989 Categoricalised medication usage Dataset

The logo for Closer Discovery features the word "closer" in a bold, lowercase sans-serif font, with a period at the end. Below it, the word "Discovery" is written in a smaller, uppercase sans-serif font. To the right of the text is a cluster of six overlapping circles in various colors: purple, pink, blue, yellow, green, and light blue.

**closer.**  
**Discovery**

<https://discovery.closer.ac.uk/>

Licensed under the Non-Commercial Government Licence  
<http://www.nationalarchives.gov.uk/doc/non-commercial-government-licence/version/2/>

# Table of Contents

<a href="#">1989 Categorized medication usage Dataset</a>	5
<a href="#">MEDAllergy_43x - Derived: Use of Allergy Medications in 1989</a>	5
<a href="#">MEDAnaem_43x - Derived: Use of Medications for Anaemia in 1989</a>	5
<a href="#">MEDAntibioticNOS_43x - Derived: Use of Antibiotic NOS in 1989</a>	5
<a href="#">MEDAntibio_43x - Derived: Use of Antibiotic Medications in 1989</a>	5
<a href="#">MEDAntiPLT_43x - Derived: Use of Anti-Platelets in 1989</a>	6
<a href="#">MEDAPscho_43x - Derived: Use of Atypical Antipsychotics in 1989</a>	6
<a href="#">MEDBenzo_43x - Derived: Use of Benzodiazepines in 1989</a>	6
<a href="#">MEDBeta_43x - Derived: Use of Betablockers in 1989</a>	6
<a href="#">MEDBiliary_43x - Derived: Use of Medications for Biliary or Pancreatic Disorders in 1989</a>	7
<a href="#">MEDBisphos_43x - Derived: Use of Bisphosphonates in 1989</a>	7
<a href="#">MEDBone_43x - Derived: Use of medications affecting bone metabolism in 1989</a>	7
<a href="#">MEDBronchLA_43x - Derived: Use of Long-Acting Bronchodilator Medications in 1989</a>	7
<a href="#">MEDBronchSA_43x - Derived: Use of Short-Acting Bronchodilator Medications in 1989</a>	8
<a href="#">MEDBronch_43x - Derived: Use of Bronchodilator Medications in 1989</a>	8
<a href="#">MEDCARDIO_43x - Derived: Use of Cardio Medications in 1989</a>	8
<a href="#">MEDCBD3_43x - Derived: Use of Medications for Chronic Bowel Disease, including Bile, Pancreatic in 1989</a>	9
<a href="#">MEDCNS_43x - Derived: Use of CNS Medications in 1989</a>	9
<a href="#">MEDContra_43x - Derived: Use of Contraception in 1989</a>	9
<a href="#">MEDCough_43x - Derived: Use of Cough Medications in 1989</a>	9
<a href="#">MEDDement_43x - Derived: Use of Medications for Dementia in 1989</a>	10
<a href="#">MEDDepress_43x - Derived: Use of Anti-Depressants in 1989</a>	10
<a href="#">MEDDERM_43x - Derived: Use of Dermatological Medications in 1989</a>	10
<a href="#">MEDDiabPO_43x - Derived: Use of Oral Diabetic Agents in 1989</a>	10
<a href="#">MEDDiab_43x - Derived: Use of Diabetic Medications (inc Insulin) in 1989</a>	11
<a href="#">MEDDiarr_43x - Derived: Use of Anti-diarrhoeal Medications in 1989</a>	11
<a href="#">MEDDiureticCombo_43x - Derived: Use of Combination Diuretics in 1989</a>	11
<a href="#">MEDDiuretic_43x - Derived: Use of Diuretics in 1989</a>	11
<a href="#">MEDEczema_43x - Derived: Use of Eczema Medications in 1989</a>	12
<a href="#">MEDEmol_43x - Derived: Use of Emollients and Barrier Creams in 1989</a>	12
<a href="#">MEDENDO_43x - Derived: Use of Endocrine Medications in 1989</a>	12
<a href="#">MEDENT_43x - Derived: Use of ENT Medications in 1989</a>	12
<a href="#">MEDEpil_43x - Derived: Use of Epilepsy Medications in 1989</a>	13
<a href="#">MEDErect_43x - Derived: Use of Medications for Erectile Dysfunction in 1989</a>	13
<a href="#">MEDESteroids_43x - Derived: Use of (Endocrine) Steroids in 1989</a>	13
<a href="#">MEDEyeMydr_43x - Derived: Use of Mydriatic Eye Medications in 1989</a>	13
<a href="#">MEDEyeTear_43x - Derived: Use of Artificial Tear Medications in 1989</a>	14

<a href="#">MEDEYE_43x - Derived: Use of Ophthalmic Medications in 1989</a>	14
<a href="#">MEDGASTRO_43x - Derived: Use of GI Medications in 1989</a>	14
<a href="#">MEDGonad_43x - Derived: Use of Gonadotrophic Medications in 1989</a>	14
<a href="#">MEDGORD_43x - Derived: Use of Anti-acid Medications in 1989</a>	15
<a href="#">MEDHIV_43x - Derived: Use of Anti-retroviral Medications in 1989</a>	15
<a href="#">MEDHTN_43x - Derived: Use of Antihypertensives and/or Drugs for Heart Failure in 1989</a>	15
<a href="#">MEDIBS_43x - Derived: Use of Anti-Bowel Spasmodic Medications in 1989</a>	15
<a href="#">MEDImmuno_43x - Derived: Use of Immunosuppressants in 1989</a>	16
<a href="#">MEDINFECT_43x - Derived: Use of Anti-infective Medications in 1989</a>	16
<a href="#">MEDInhaler_43x - Derived: Use of Inhalers in 1989</a>	16
<a href="#">MEDInsulin_43x - Derived: Use of Insulin in 1989</a>	16
<a href="#">MEDLAInsulin_43x - Derived: Use of Long Acting Insulin in 1989</a>	17
<a href="#">MEDLax_43x - Derived: Use of Laxative Medications in 1989</a>	17
<a href="#">MEDLKA_43x - Derived: Use of Cromoglicate and Leukotriene Receptor Antagonists in 1989</a>	17
<a href="#">MEDMetabol_43x - Derived: Use of Medications for Metabolic Disorders in 1989</a>	17
<a href="#">MEDMSK_43x - Derived: Use of Musculoskeletal Medications in 1989</a>	18
<a href="#">MEDMucus_43x - Derived: Use of Mucolytic Medications in 1989</a>	18
<a href="#">MEDNasal_43x - Derived: Use of Nasal Medications in 1989</a>	18
<a href="#">MEDNaus_43x - Derived: Use of Nausea and Vertigo Medications in 1989</a>	19
<a href="#">MEDNit_43x - Derived: Use of Nitrates in 1989</a>	19
<a href="#">MEDNSAID_43x - Derived: Use of Non-Steroidal Anti-Inflammatory Medications in 1989</a>	19
<a href="#">MEDNUTRI_43x - Derived: Use of Nutritional Medications and Blood Products in 1989</a>	19
<a href="#">MEDOBS_43x - Derived: Use of medications for Obstetric, Gynaecological and Urinary Tract disorders</a>	20
<a href="#">MEDOxygen_43x - Derived: Use of Oxygen in 1989</a>	20
<a href="#">MEDPain_43x - Derived: Use of Analgesia in 1989</a>	20
<a href="#">MEDPit_43x - Derived: Use of Pituitary Hormones in 1989</a>	20
<a href="#">MEDPsor_43x - Derived: Use of Psoriasis Medications in 1989</a>	21
<a href="#">MEDPsycho_43x - Derived: Use of Anti-Psychotic Medications in 1989</a>	21
<a href="#">MEDPUD_43x - Derived: Use of Peptic/Duodenal Ulcer Disease Medications in 1989</a>	21
<a href="#">MEDRectal_43x - Derived: Use of Local Preparations for Rectal Disorders in 1989</a>	21
<a href="#">MEDRESP_43x - Derived: Use of Respiratory Medications in 1989</a>	22
<a href="#">MEDRSteroid_43x - Derived: Use of (Respiratory) Steroids in 1989</a>	22
<a href="#">MEDSedate_43x - Derived: Use of Sedative Medications in 1989</a>	22
<a href="#">MEDSexh_43x - Derived: Use of Sex Hormones in 1989</a>	22
<a href="#">MEDSterile_43x - Derived: Use of Antiseptics in 1989</a>	23
<a href="#">MEDStim_43x - Derived: Use of Stimulant Medications in 1989</a>	23
<a href="#">MEDThroat_43x - Derived: Use of Throat Medications in 1989</a>	23
<a href="#">MEDThyroid_43x - Derived: Use of Thyroid Medications in 1989</a>	23
<a href="#">MEDTitch_43x - Derived: Use of Topical Antipruritics in 1989</a>	24
<a href="#">MEDTPsycho_43x - Derived: Use of Typical Antipsychotics in 1989</a>	24

<a href="#">MEDTSteroid_43x - Derived: Use of Topical Corticosteroids in 1989</a> .....	24
<a href="#">MEDVita_43x - Derived: Use of Vitamins in 1989</a> .....	24
<a href="#">MEDVulv_43x - Derived: Use of Medications for Vulval Disorders in 1989</a> .....	25
<a href="#">MEDZDrug_43x - Derived: Use of Z-drugs in 1989</a> .....	25
<a href="#">NUMMEDENT_43x - Derived: Number of ENT Medications in 1989</a> .....	25
<a href="#">NUMMEDEYE_43x - Derived: Number of Ophthalmic Medications in 1989</a> .....	25
<a href="#">NUMMEDINFECT_43x - Derived: Number of Anti-infective Medications in 1989</a> .....	25
<a href="#">NUMMEDOBS_43x - Derived: Number of medications for Obstetric, Gynaecological and Urinary Tract disorders</a> .....	26



## 1989 Categorised medication usage Dataset

Title	1989 Categorised medication usage Dataset
Alternate title	nshd_89_medication
File Name	doku.php
Case Quantity	5362
Variable Count	84

**closer:sourceFileName**

nshd\_89\_medication



## MEDAllergy\_43x - Derived: Use of Allergy Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Allergy Medications 1989	3,124
	1	Use of Allergy Medications 1989	138

Valid	Invalid	Minimum	Maximum
3262	2100	0	1



## MEDAnaem\_43x - Derived: Use of Medications for Anaemia in 1989

Type	Code
------	------

			Frequency
Valid	0	No Medications for Anaemia 1989	3,185
	1	Use of Medications for Anaemia 1989	77

Valid	Invalid	Minimum	Maximum
3262	2100	0	1



## MEDAntibioticNOS\_43x - Derived: Use of Antibiotic NOS in 1989

Type	Code
------	------

			Frequency
Valid	0	No Antibiotic NOS 1989	3,154
	1	Use of Antibiotic NOS 1989	108

Valid	Invalid	Minimum	Maximum
3262	2100	0	1



## MEDAntibio\_43x - Derived: Use of Antibiotic Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Antibiotic Medications 1989	3,162
	1	Use of Antibiotic Medications 1989	100

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDAntiPLT\_43x - Derived: Use of Anti-Platelets in 1989

Type	Code
------	------

			Frequency
Valid	0	No Anti-Platelets 1989	3,249
	1	Use of Anti-Platelets 1989	13

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDAPsycho\_43x - Derived: Use of Atypical Antipsychotics in 1989

Type	Code
------	------

			Frequency
Valid	0	No Atypical Antipsychotics 1989	3,244
	1	Use of Atypical Antipsychotics 1989	18

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDBenzo\_43x - Derived: Use of Benzodiazepines in 1989

Type	Code
------	------

			Frequency
Valid	0	No Benzodiazepines 1989	3,174
	1	Use of Benzodiazepines 1989	88

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDBeta\_43x - Derived: Use of Betablockers in 1989

Type	Code
------	------

			Frequency
--	--	--	-----------

Valid	0	No Betablockers 1989	3,171
	1	Use of Betablockers 1989	91

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDBiliary\_43x - Derived: Use of Medications for Biliary or Pancreatic Disorders in 1989

Type	Code
------	------

			Frequency
Valid	0	No Medications for Biliary or Pancreatic Disorders 1989	3,262
	1	Use of Medications for Biliary or Pancreatic Disorders 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

### MEDBisphos\_43x - Derived: Use of Bisphosphonates in 1989

Type	Code
------	------

			Frequency
Valid	0	No Bisphosphonates 1989	3,262
	1	Use of Bisphosphonates 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

### MEDBone\_43x - Derived: Use of medications affecting bone metabolism in 1989

Type	Code
------	------

			Frequency
Valid	0	No Bisphosphonates 1989	3,262
	1	Use of Bisphosphonates 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

### MEDBronchLA\_43x - Derived: Use of Long-Acting Bronchodilator Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Long-Acting Bronchodilator Medications 1989	3,262
	1	Use of Long-Acting Bronchodilator Medications 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

### MEDBronchSA\_43x - Derived: Use of Short-Acting Bronchodilator Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Short-Acting Bronchodilator Medications 1989	3,165
	1	Use of Short-Acting Bronchodilator Medications 1989	97

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDBronch\_43x - Derived: Use of Bronchodilator Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Bronchodilator Medications 1989	3,154
	1	Use of Bronchodilator Medications 1989	108

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDCARDIO\_43x - Derived: Use of Cardio Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Cardio Medications 1989	3,081
	1	Use of Cardio Medications 1989	181

Valid	Invalid	Minimum	Maximum
3262	2100	0	1



### MEDCBD3\_43x - Derived: Use of Medications for Chronic Bowel Disease, including Bile, Pancreatic in 1989

Type	Code
------	------

			Frequency
Valid	0	No Medications for Chronic Bowel Disease (inc Bile, Pancreatic and IBS) 1989	3,229
	1	Use of Medications for Chronic Bowel Disease (inc Bile, Pancreatic and IBS) 1989	33

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDCNS\_43x - Derived: Use of CNS Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No CNS Medications 1989	2,756
	1	Use of CNS Medications 1989	506

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDContra\_43x - Derived: Use of Contraception in 1989

Type	Code
------	------

			Frequency
Valid	0	No Contraception 1989	3,234
	1	Use of Contraception 1989	28

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDCough\_43x - Derived: Use of Cough Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Cough Medications 1989	3,252
	1	Use of Cough Medications 1989	10

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

 MEDDement\_43x - Derived: Use of Medications for Dementia in 1989

Type	Code
------	------

			Frequency
Valid	0	No Medications for Dementia 1989	3,262
	1	Use of Medications for Dementia 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

 MEDDepress\_43x - Derived: Use of Anti-Depressants in 1989

Type	Code
------	------

			Frequency
Valid	0	No Anti-Depressants 1989	3,199
	1	Use of Anti-Depressants 1989	63

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

 MEDDERM\_43x - Derived: Use of Dermatological Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Dermatological Medications 1989	3,043
	1	Use of Dermatological Medications 1989	219

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

 MEDDiabPO\_43x - Derived: Use of Oral Diabetic Agents in 1989

Type	Code
------	------

			Frequency
Valid	0	No Oral Diabetic Agents 1989	3,252
	1	Use of Oral Diabetic Agents 1989	10

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDDiab\_43x - Derived: Use of Diabetic Medications (inc Insulin) in 1989

Type	Code
------	------

			Frequency
Valid	0	No Diabetic Medications (inc Insulin) 1989	3,235
	1	Use of Diabetic Medications (inc Insulin) 1989	27

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDDiarr\_43x - Derived: Use of Anti-diarrhoeal Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Anti-diarrhoeal Medications 1989	3,246
	1	Use of Anti-diarrhoeal Medications 1989	16

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDDiureticCombo\_43x - Derived: Use of Combination Diuretics in 1989

Type	Code
------	------

			Frequency
Valid	0	No Combination Diuretics 1989	3,262
	1	Use of Combination Diuretics 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

### MEDDiuretic\_43x - Derived: Use of Diuretics in 1989

Type	Code
------	------

			Frequency
Valid	0	No Diuretics 1989	3,211
	1	Use of Diuretics 1989	51

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDEczema\_43x - Derived: Use of Eczema Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Eczema Medications 1989	3,232
	1	Use of Eczema Medications 1989	31

Valid	Invalid	Minimum	Maximum
3263	2099	0	1

### MEDEmol\_43x - Derived: Use of Emollients and Barrier Creams in 1989

Type	Code
------	------

			Frequency
Valid	0	No Emollients and Barrier Creams 1989	3,242
	1	Use of Emollients and Barrier Creams 1989	21

Valid	Invalid	Minimum	Maximum
3263	2099	0	1

### MEDENDO\_43x - Derived: Use of Endocrine Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Endocrine Medications 1989	3,110
	1	Use of Endocrine Medications 1989	152

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDENT\_43x - Derived: Use of ENT Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No ENT Medications 1989	3,184
	1	Use of ENT Medications 1989	78


Valid	Invalid	Minimum	Maximum
3262	2100	0	1

 MEDEpil\_43x - Derived: Use of Epilepsy Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Epilepsy Medications 1989	3,230
	1	Use of Epilepsy Medications 1989	32

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

 MEDirect\_43x - Derived: Use of Medications for Erectile Dysfunction in 1989

Type	Code
------	------

			Frequency
Valid	0	No Medications for Erectile Dysfunction 1989	3,262
	1	Use of Medications for Erectile Dysfunction 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

 MEDEsteroids\_43x - Derived: Use of (Endocrine) Steroids in 1989

Type	Code
------	------

			Frequency
Valid	0	No (Endocrine) Steroids 1989	3,229
	1	Use of (Endocrine) Steroids 1989	33

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

 MEDEyeMydr\_43x - Derived: Use of Mydriatic Eye Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Mydriatic Eye Medications 1989	3,262
	1	Use of Mydriatic Eye Medications 2009	

Valid	Invalid	Minimum	Maximum
-------	---------	---------	---------

3262	2100	0	0
------	------	---	---

### MEDEyeTear\_43x - Derived: Use of Artificial Tear Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Artificial Tear Medications 1989	3,262
	1	Use of Artificial Tear Medications 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

### MEDEYE\_43x - Derived: Use of Ophthalmic Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Ophthalmic Medications 1989	3,243
	1	Use of Ophthalmic Medications 1989	19

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDGASTRO\_43x - Derived: Use of GI Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No GI Medications 1989	2,989
	1	Use of GI Medications 1989	273

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDGonad\_43x - Derived: Use of Gonadotrophic Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Gonadotrophic Medications 1989	3,252
	1	Use of Gonadotrophic Medications 1989	10

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

 MEDGORD\_43x - Derived: Use of Anti-acid Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Anti-acid Medications 1989	3,121
	1	Use of Anti-acid Medications 1989	141


Valid	Invalid	Minimum	Maximum
3262	2100	0	1

 MEDHIV\_43x - Derived: Use of Anti-retroviral Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Anti-retroviral Medications 1989	3,262
	1	Use of Anti-retroviral Medications 1989	


Valid	Invalid	Minimum	Maximum
3262	2100	0	0

 MEDHTN\_43x - Derived: Use of Antihypertensives and/or Drugs for Heart Failure in 1989

Type	Code
------	------

			Frequency
Valid	0	No Antihypertensives and/or Drugs for Heart Failure 1989	3,246
	1	Use of Antihypertensives and/or Drugs for Heart Failure 1989	16

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

 MEDIBS\_43x - Derived: Use of Anti-Bowel Spasmodic Medications in 1989

Type	Code
------	------

			Frequency
--	--	--	-----------

Valid	0	No Anti-Bowel Spasmodic Medications 1989	3,238
	1	Use of Anti-Bowel Spasmodic Medications 1989	24

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDImmuno\_43x - Derived: Use of Immunosuppressants in 1989

Type	Code
------	------

			Frequency
Valid	0	No Immunosuppressants 1989	3,262
	1	Use of Immunosuppressants 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

### MEDINFECT\_43x - Derived: Use of Anti-infective Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Anti-infective Medications 1989	3,059
	1	Use of Anti-infective Medications 1989	203

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDInhaler\_43x - Derived: Use of Inhalers in 1989

Type	Code
------	------

			Frequency
Valid	0	No Inhalers 1989	3,143
	1	Use of Inhalers 1989	119

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDInsulin\_43x - Derived: Use of Insulin in 1989

Type	Code
------	------

			Frequency
--	--	--	-----------



Valid	0	No Insulin 1989	3,244
	1	Use of Insulin 1989	18

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDLAINsulin\_43x - Derived: Use of Long Acting Insulin in 1989

Type	Code
------	------

			Frequency
Valid	0	No Long Acting Insulin 1989	3,262
	1	Use of Long Acting Insulin 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

### MEDLax\_43x - Derived: Use of Laxative Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Laxative Medications 1989	3,239
	1	Use of Laxative Medications 1989	23

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDLKA\_43x - Derived: Use of Cromoglicate and Leukotriene Receptor Antagonists in 1989

Type	Code
------	------

			Frequency
Valid	0	No Cromoglicate and Leukotriene Receptor Antagonists 1989	3,262
	1	Use of Cromoglicate and Leukotriene Receptor Antagonists 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

### MEDMetabol\_43x - Derived: Use of Medications for Metabolic Disorders in 1989

Type	Code
------	------

			Frequency
Valid	0	No Medications for Metabolic Disorders 1989	3,262
	1	Use of Medications for Metabolic Disorders 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

### MEDMSK\_43x - Derived: Use of Musculoskeletal Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Musculoskeletal Medications 1989	3,027
	1	Use of Musculoskeletal Medications 1989	235

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDMucus\_43x - Derived: Use of Mucolytic Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Mucolytic Medications 1989	3,262
	1	Use of Mucolytic Medications 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

### MEDNasal\_43x - Derived: Use of Nasal Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Nasal Medications 1989	3,206
	1	Use of Nasal Medications 1989	56

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDNaus\_43x - Derived: Use of Nausea and Vertigo Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Nausea and Vertigo Medications 1989	3,228
	1	Use of Nausea and Vertigo Medications 1989	34

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDNit\_43x - Derived: Use of Nitrates in 1989

Type	Code
------	------

			Frequency
Valid	0	No Nitrates 1989	3,238
	1	Use of Nitrates 1989	24

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDNSAID\_43x - Derived: Use of Non-Steroidal Anti-Inflammatory Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Non-Steroidal Anti-Inflammatory Medications 1989	3,043
	1	Use of Non-Steroidal Anti-Inflammatory Medications 1989	219

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDNUTRI\_43x - Derived: Use of Nutritional Medications and Blood Products in 1989

Type	Code
------	------

			Frequency
--	--	--	-----------

Valid	0	No Nutritional Medications and Blood Products 1989	3,153
	1	Use of Nutritional Medications and Blood Products 1989	109

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDOBS\_43x - Derived: Use of medications for Obstetric, Gynaecological and Urinary Tract disorders

Type	Code
------	------

			Frequency
Valid	0	No medications for Obstetric, Gynaecological and Urinary Tract disorders 1989	3,230
	1	Use of medications for Obstetric, Gynaecological and Urinary Tract disorders 1989	32

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDOxygen\_43x - Derived: Use of Oxygen in 1989

Type	Code
------	------

			Frequency
Valid	0	No Oxygen 1989	3,262
	1	Use of Oxygen 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

### MEDPain\_43x - Derived: Use of Analgesia in 1989

Type	Code
------	------

			Frequency
Valid	0	No Analgesia 1989	2,968
	1	Use of Analgesia 1989	294

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDPit\_43x - Derived: Use of Pituitary Hormones in 1989

Type	Code
------	------

			Frequency
Valid	0	No Pituitary Hormones 1989	3,262
	1	Use of Pituitary Hormones 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

### MEDPsor\_43x - Derived: Use of Psoriasis Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Psoriasis Medications 1989	3,249
	1	Use of Psoriasis Medications 1989	14

Valid	Invalid	Minimum	Maximum
3263	2099	0	1

### MEDPsycho\_43x - Derived: Use of Anti-Psychotic Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Anti-Psychotic Medications 1989	3,231
	1	Use of Anti-Psychotic Medications 1989	31

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDPUD\_43x - Derived: Use of Peptic/Duodenal Ulcer Disease Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Anti-acid Medications 1989	3,184
	1	Use of Anti-acid Medications 1989	78

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDRectal\_43x - Derived: Use of Local Preparations for Rectal Disorders in 1989

Type	Code
------	------

			Frequency
Valid	0	No Local Preparations for Rectal Disorders 1989	3,181
	1	Use of Local Preparations for Rectal Disorders 1989	81

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDRESP\_43x - Derived: Use of Respiratory Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Respiratory Medications 1989	3,017
	1	Use of Respiratory Medications 1989	245

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDRSteroid\_43x - Derived: Use of (Respiratory) Steroids in 1989

Type	Code
------	------

			Frequency
Valid	0	No (Respiratory) Steroids 1989	3,229
	1	Use of (Respiratory) Steroids 1989	33

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDSedate\_43x - Derived: Use of Sedative Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Sedative Medications 1989	3,156
	1	Use of Sedative Medications 1989	106

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDSexh\_43x - Derived: Use of Sex Hormones in 1989

Type	Code
------	------

			Frequency
Valid	0	No Sex Hormones 1989	3,190
	1	Use of Sex Hormones 1989	72

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDSterile\_43x - Derived: Use of Antiseptics in 1989

Type	Code
------	------

			Frequency
Valid	0	No Antiseptics 1989	3,263
	1	Use of Antiseptics 1989	

Valid	Invalid	Minimum	Maximum
3263	2099	0	0

### MEDStim\_43x - Derived: Use of Stimulant Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Stimulant Medications 1989	3,262
	1	Use of Stimulant Medications 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

### MEDThroat\_43x - Derived: Use of Throat Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Throat Medications 1989	3,248
	1	Use of Throat Medications 1989	14

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDThyroid\_43x - Derived: Use of Thyroid Medications in 1989

Type	Code
------	------

			Frequency
Valid	0	No Thyroid Medications 1989	3,234
	1	Use of Thyroid Medications 1989	28

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDTItch\_43x - Derived: Use of Topical Antipruritics in 1989

Type	Code
------	------

			Frequency
Valid	0	No Topical Antipruritics 1989	3,263
	1	Use of Topical Antipruritics 1989	

Valid	Invalid	Minimum	Maximum
3263	2099	0	0

### MEDTPsycho\_43x - Derived: Use of Typical Antipsychotics in 1989

Type	Code
------	------

			Frequency
Valid	0	No Typical Antipsychotics 1989	3,239
	1	Use of Typical Antipsychotics 1989	23

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### MEDTSteroid\_43x - Derived: Use of Topical Corticosteroids in 1989

Type	Code
------	------

			Frequency
Valid	0	No Topical Corticosteroids 1989	3,120
	1	Use of Topical Corticosteroids 1989	143

Valid	Invalid	Minimum	Maximum
3263	2099	0	1

### MEDVita\_43x - Derived: Use of Vitamins in 1989

Type	Code
------	------

			Frequency
Valid	0	No Vitamins 1989	3,232
	1	Use of Vitamins 1989	30

Valid	Invalid	Minimum	Maximum
3262	2100	0	1



### MEDVulv\_43x - Derived: Use of Medications for Vulval Disorders in 1989

Type	Code
------	------

			Frequency
Valid	0	No Medications for Vulval Disorders 1989	3,262
	1	Use of Medications for Vulval Disorders 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

### MEDZDrug\_43x - Derived: Use of Z-drugs in 1989

Type	Code
------	------

			Frequency
Valid	0	No Z-drugs 1989	3,262
	1	Use of Z-drugs 1989	

Valid	Invalid	Minimum	Maximum
3262	2100	0	0

### NUMMEDENT\_43x - Derived: Number of ENT Medications in 1989

Type	Numeric
------	---------

Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### NUMMEDEYE\_43x - Derived: Number of Ophthalmic Medications in 1989

Type	Numeric
------	---------


Valid	Invalid	Minimum	Maximum
3262	2100	0	1

### NUMMEDINFECT\_43x - Derived: Number of Anti-infective Medications in 1989

Type	Numeric
------	---------

Valid	Invalid	Minimum	Maximum

3262	2100	0	2
------	------	---	---

 NUMMEDOBS\_43x - Derived: Number of medications for Obstetric, Gynaecological and Urinary Tract disorders

Type	Numeric
------	---------

Valid	Invalid	Minimum	Maximum
3262	2100	0	1