

# 1953 (aged 7 years)

## Abstract

School doctors undertook the medical examination and health visitors and school nurses completed records of school absences, accidents and the form about the school and preschool preparation of the study child for school. Topics covered included: accidents, maternal reports of hospital admissions, bedwetting, type of school and class, the child's age at their first reading instruction and parental interest in school progress.

Creator: James Douglas

Publisher: London School of Economics

## Sample

nshd\_sample - NSHD Sample Universe

NSHD Sample Universe

A socially stratified sample of 5,362 singleton babies born to married parents in a single week in March 1946

### LifeStage

Childhood

### LifeStageDescription

5 - 12 years

## Temporal Coverage

1953-03 - 1953-09

## Spatial Coverage

### Highest Level

Country

### Country

GB-ENG

### Country

GB-WLS

### Country

GB-SCT

## Funding Information

Funding Information

Funding Information

Funding Information

## Data Collection

### nshd\_53\_sd - Examination by the School Doctor

Examination by the School Doctor

#### Collection Events

1953

*Collection Organization*

#### Mode of Collection

Face-to-face paper and pencil interviewing.

#### Mode of Collection

Collecting and assembling data from multiple, often heterogeneous sources that have one or more reference points in common, and at least one of the sources was originally produced for other purposes.

#### Mode of Collection

Assessment of physical properties of living beings, objects, materials, or natural phenomena. This includes medical and geographic data.

School Doctor

qi\_intro\_i - intro i

Ref. No.

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

qi\_intro\_ii - intro ii

Name

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

qi\_intro\_iii - intro iii

Address

**Type**

Text

**Label**

Long text

**Conditions**

nshd\_53\_sd

qi\_intro\_iv - intro iv

School

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

qi\_intro\_v - intro v

New Address

**Type**

Text

**Label**

Long text

**Conditions**

nshd\_53\_sd

FOR THOSE WHO HAVE MOVED

qi\_intro\_vi - intro vi

L.E.A.

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

FOR THOSE WHO HAVE MOVED

qi\_intro\_vii - intro vii

School

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

FOR THOSE WHO HAVE MOVED

qi\_1\_a - 1 a

Date of Death

**Type**

Date/Time (Algenta.Colectica.Model.CodeValue)

**Label**

Generic date

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

SURVIVAL

qi\_1\_b - 1 b

Cause of Death (if known)

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

SURVIVAL

qi\_2 - 2

If this child is living but the form cannot be completed please state the reason here :

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

SOURCE OF INFORMATION

qi\_3 - 3

Parent or relative attending with child

1	Mother
2	Father

3	Both parents
*	Other person, namely
o	No one

**Type**

Text

**Label**

Other

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

SOURCE OF INFORMATION

qi\_4\_a - 4 a

Does this child breathe with his mouth open in the day time?

1	Yes
o	No

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

COLDS, SORE THROAT, ETC.

qi\_4\_b - 4 b

Does he snore at night?

2	Always snores
1	Sometimes snores
o	Never snores

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

COLDS, SORE THROAT, ETC.

qi\_4\_c - 4 c

How often has he had a snuffly or running nose during the last year?

3	Continually
2	Frequently (4 or more)
1	Occasionally (3 or less)
0	Never

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

COLDS, SORE THROAT, ETC.

qi\_4\_d - 4 d

Has he had a sore throat during the last year? If so, how many has he had? ... sore throats

**Label**

How many?

**Start Value**

0

**Low**

0 (inclusive)

0	No sore throats
---	-----------------

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

COLDS, SORE THROAT, ETC.

qi\_5\_a - 5 a

Have this child's tonsils been removed?

1	Yes
0	No

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

TONSILS

qi\_5\_b - 5 b

Where were they removed?

1	Hosp. (I.P.)
2	Hosp. (O.P.)
3	At home

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

TONSILS

qc\_5\_a == 1

qi\_5\_c - 5 c

Why were they removed?

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

TONSILS

qc\_5\_a == 1

qi\_5\_d - 5 d

Has his condition been better, worse or unchanged since their removal?

1	Better
3	Worse
2	Unchanged

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

TONSILS

qc\_5\_a == 1

qi\_5\_e - 5 e

Please say in what ways

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

TONSILS

qc\_5\_a == 1

qc\_5\_d == 1 || qc\_5\_d == 3

qi\_5\_f - 5 f

Has anyone suggested that his tonsils should be removed?

<input type="radio"/>	1 Yes, doctor
<input type="radio"/>	* Yes, other person, namely
<input type="radio"/>	o No

**Type**

Text

**Label**

Other

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

TONSILS

qc\_5\_a == 0

qi\_5\_g - 5 g

Why was this suggested?

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

TONSILS

qc\_5\_a == 0

qc\_5\_f == 1 || qc\_5\_f == \*

qi\_5\_h - 5 h

Is he on a waiting list for tonsillectomy?

<input type="radio"/>	1 Yes
<input type="radio"/>	0 No

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

TONSILS

qc\_5\_a == 0

qc\_5\_f == 1 || qc\_5\_f == \*

qi\_6\_a - 6 a

Has this child, during the last year, had an attack of asthma?

<input type="radio"/>	1 Yes
<input type="radio"/>	0 No

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

ASTHMA

qi\_6\_b - 6 b

How frequent are his asthmatic attacks?

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

ASTHMA

qc\_6\_a == 1

qi\_6\_c - 6 c

How long do they last? ... hours

**Label**

How many?

**Start Value**

0

**Low**

0 (inclusive)

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

ASTHMA

qc\_6\_a == 1

qi\_6\_d - 6 d

Has a doctor been consulted about his asthma?

<input type="radio"/>	1 Doctor consulted
<input type="radio"/>	0 No doctor consulted

**Conditions**

nshd\_53\_sd

## A. MEDICAL HISTORY

ASTHMA

qc\_6\_a == 1

qi\_6\_e - 6 e

Has the cause of the attacks been investigated?

<input type="radio"/>	1 Yes, at hospital
<input type="radio"/>	2 Yes, by family doctor
<input type="radio"/>	o No investigation

**Conditions**

nshd\_53\_sd

## A. MEDICAL HISTORY

ASTHMA

qc\_6\_a == 1

qi\_6\_f\_i - 6 f(i)

Name and address of hospital where investigated Name

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

## A. MEDICAL HISTORY

ASTHMA

qc\_6\_a == 1

qi\_6\_f\_ii - 6 f(ii)

Name and address of hospital where investigated Address

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

ASTHMA

qc\_6\_a == 1

qi\_6\_g - 6 g

What treatment is being given?

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

ASTHMA

qc\_6\_a == 1

qi\_7\_a - 7 a

Has this child during the last year had attacks of coughing when he has NOT got a cold?

	2 Yes, continually
	1 Yes, sometimes
	0 No

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

COUGHS

qi\_7\_b - 7 b

When he coughs, is it at night only, in the day only or both in the day and night?

1	Night only
2	Day only
3	Both day and night

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

COUGHS

qi\_8\_a - 8 a

How many times has this child been seen by a dentist during the last year? ... times

**Label**

How many?

**Start Value**

o

**Low**

o (inclusive)

o	Not seen by a dentist
---	-----------------------

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

TEETH

qi\_9\_a - 9 a

During the last year, has this child been treated for heart trouble?

1	Yes
o	No

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

HEART

qi\_9\_b - 9 b

Did this treatment lead to any restriction of his activi-ties?

*	Yes, namely
---	-------------

<input type="radio"/>	No restriction of activities
-----------------------	------------------------------

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

HEART

qc\_9\_a == 1

qi\_10\_a - 10 a

Has this child had any attacks of abdominal pain during the last year?

<input type="radio"/>	1 Yes
<input type="radio"/>	0 No

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

ABDOMEN

qi\_10\_b - 10 b

Was a doctor called in or was he taken to hospital?

<input type="radio"/>	1 Doctor called in
<input type="radio"/>	2 Taken to hospital
<input type="radio"/>	0 Neither

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

ABDOMEN

qc\_10\_a == 1

qi\_11\_a - 11 a

Has this child, during the last year, had recurrent attacks of vomiting (i.e. out of sorts at least 12 hours and at least one vomit)?

<input type="radio"/>	1 Yes
<input type="radio"/>	0 No

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

ABDOMEN

qi\_11\_b - 11 b

About how often does he have these attacks?

<input type="radio"/>	1 Less than once a month
<input type="radio"/>	2 More often

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

ABDOMEN

qc\_11\_a == 1

qi\_12\_a - 12 a

Is this child hard of hearing sometimes, or all the time?

<input type="radio"/>	1 Sometimes deaf
<input type="radio"/>	2 Always deaf
<input type="radio"/>	0 Normal hearing

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

HEARING

qi\_12\_b - 12 b

Is he hard of hearing when he has colds?

<input type="radio"/>	1 Yes
-----------------------	-------

2	No
---	----

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

HEARING

qc\_12\_a == 1

qi\_13\_a - 13 a

Has this child, during the last year, had a fit or con-vulsion or lost conscious-ness?

1	Yes, fits, etc.
---	-----------------

0	No fit or convulsion
---	----------------------

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

FITS AND CONVULSIONS

qi\_13\_b - 13 b

How many fits or convul-sions has he had during the last year? ... fits or convulsions

**Label**

How many?

**Start Value**

0

**Low**

0 (inclusive)

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

FITS AND CONVULSIONS

qc\_13\_a == 1

qi\_13\_c - 13 c

Did they occur during an illness or while he was in normal health?

1	During an illness
---	-------------------

2	While in normal health
---	------------------------

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

FITS AND CONVULSIONS

qc\_13\_a == 1

qi\_14\_a - 14 a

Are you in any way worried about this child's health?

<input type="radio"/>	1 Yes
<input type="radio"/>	0 No

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

GENERAL HEALTH

qi\_14\_b - 14 b

Please give your reasons for worrying

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

GENERAL HEALTH

qc\_14\_a == 1

qi\_15\_a - 15 a

Are you in any way worried about this child's habits or behaviour?

<input type="radio"/>	1 Yes
<input type="radio"/>	0 No

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

BEHAVIOUR

qi\_15\_b - 15 b

Please give your reasons for worrying

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

A. MEDICAL HISTORY

BEHAVIOUR

qc\_15\_a == 1

qi\_16 - 16

Pulse rate at beginning of examination ... per minute

**Label**

How many?

**Start Value**

0

**Low**

0 (inclusive)

**Conditions**

nshd\_53\_sd

B. EXAMINATION

qi\_17\_a - 17 a

Is there a nasal discharge?

<input type="radio"/>	1 Yes
<input type="radio"/>	0 No

**Conditions**

nshd\_53\_sd

B. EXAMINATION

NASAL PASSAGES

qi\_17\_b - 17 b

Is it watery or muco-purulent?

1	Watery
2	Mucopurulent

**Conditions**

nshd\_53\_sd

B. EXAMINATION

NASAL PASSAGES

qc\_17\_a == 1

qi\_17\_c - 17 c

Is there a post-nasal dis-charge hanging down behind the uvula?

1	Yes
o	No
Y	Not seen, child gags

**Conditions**

nshd\_53\_sd

B. EXAMINATION

NASAL PASSAGES

qi\_17\_d - 17 d

Are this child's nasal passages obstructed?

1	Yes, by adenoids
2	Yes, by catarrh
*	Other causes, namely
o	Not obstructed

**Type**

Text

**Label**

Other

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

NASAL PASSAGES

qi\_18\_a - 18 a

Colour of pillars of fauces.

1	Congested
o	Not congested
Y	Not seen, child gags

**Conditions**

nshd\_53\_sd

B. EXAMINATION

THROAT AND TONSILS

qi\_18\_b - 18 b

Tonsils.

1	Present and intact
2	Remnants
o	Removed
Y	Not seen, child gags

**Conditions**

nshd\_53\_sd

B. EXAMINATION

THROAT AND TONSILS

qi\_18\_c - 18 c

Size of tonsils.

1	Meet in mid line
2	Buried and atrophic
3	All other sizes

**Conditions**

nshd\_53\_sd

B. EXAMINATION

THROAT AND TONSILS

qc\_18\_b == 1

qi\_18\_d - 18 d

Crypts.

<input type="radio"/>	1 Contain pus
<input type="radio"/>	2 Do not contain pus
<input type="radio"/>	3 No crypts seen
<input type="radio"/>	4 Concretions

**Conditions**

nshd\_53\_sd

B. EXAMINATION

THROAT AND TONSILS

qc\_18\_b == 1

qi\_18\_e - 18 e

Tonsillar glands.

<input type="radio"/>	1 Palpable
<input type="radio"/>	0 Not palpable

**Conditions**

nshd\_53\_sd

B. EXAMINATION

THROAT AND TONSILS

qc\_18\_b == 1

qi\_18\_f - 18 f

In your opinion should this child's tonsils be removed?

<input type="radio"/>	1 Yes
<input type="radio"/>	0 No
<input type="radio"/>	2 Undecided

**Conditions**

nshd\_53\_sd

B. EXAMINATION

THROAT AND TONSILS

qc\_18\_b == 1

qi\_18\_g - 18 g

Please give your reasons

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

THROAT AND TONSILS

qc\_18\_b == 1

qc\_18\_f == 1

qi\_19 - 19

Are there any abnormal signs present in the lungs?

<input type="radio"/>	Abnormal signs present
<input type="radio"/>	No abnormality detected

**Conditions**

nshd\_53\_sd

B. EXAMINATION

LUNGS

qi\_19\_i - 19 i

Please describe

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

LUNGS

qc\_19 == 1

qi\_20\_a\_i - 20 a(i)

**Rhythm Standing**

o	Regular
1	Irregular

**Conditions**

nshd\_53\_sd

B. EXAMINATION

B\_HEART

qi\_20\_a\_ii - 20 a(ii)

**Rhythm Lying**

o	Regular
1	Irregular

**Conditions**

nshd\_53\_sd

B. EXAMINATION

B\_HEART

qi\_20\_a\_iii - 20 a(iii)

Please describe the nature of the irregularity

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

B\_HEART

qc\_20\_a\_i == 1 || qc\_20\_a\_ii == 1

**qi\_20\_b\_i - 20 b(i)**

Murmurs. Standing

	o No murmur heard
	1 Murmur(if present)

**Conditions**

nshd\_53\_sd

B. EXAMINATION

B\_HEART

**qi\_20\_b\_ii - 20 b(ii)**

Murmurs. Lying

	o No murmur heard
	1 Murmur(if present)

**Conditions**

nshd\_53\_sd

B. EXAMINATION

B\_HEART

**qi\_20\_b\_iii - 20 b(iii)**

Please describe, giving timing and location

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

B\_HEART

qc\_20\_b\_i == 1 || qc\_20\_b\_ii == 1

qi\_20\_c - 20 c

Details of any other cardiac abnormalities not noted above

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

B\_HEART

qi\_21 - 21

Is there any evidence of hernia or weakness of the inguinal canal?

<input type="radio"/>	Yes
<input type="radio"/>	No

**Conditions**

nshd\_53\_sd

B. EXAMINATION

B\_ABDOMEN

qi\_21\_i - 21 i

Please describe

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

B\_ABDOMEN

qc\_21 == 1

**qi\_22 - 22**

Are both testicles in the scrotal sac?

<input type="radio"/>	1 Yes, both
<input type="radio"/>	2 Left only descended
<input type="radio"/>	3 Right only descended
<input type="radio"/>	4 Neither descended
<input type="radio"/>	Y Question does not apply

**Conditions**

nshd\_53\_sd

B. EXAMINATION

B\_ABDOMEN

**qi\_23\_i - 23 i**

Lymphatic glands Neck (Exc. tonsillar glands)

<input type="radio"/>	1 Palpable
<input type="radio"/>	o Not palpable

**Conditions**

nshd\_53\_sd

B. EXAMINATION

MISCELLANEOUS

**qi\_23\_ii - 23 ii**

Lymphatic glands Axilla

<input type="radio"/>	1 Palpable
<input type="radio"/>	o Not palpable

**Conditions**

nshd\_53\_sd

B. EXAMINATION

MISCELLANEOUS

qi\_23\_iii - 23 iii

Lymphatic glands Groin

<input type="radio"/>	1 Palpable
<input type="radio"/>	0 Not palpable

**Conditions**

nshd\_53\_sd

B. EXAMINATION

MISCELLANEOUS

qi\_24 - 24

Skin.

<input type="radio"/>	0 No obvious abnormality
<input type="radio"/>	1 Septic spots or boils
<input type="radio"/>	* Other abnormalities, namely

**Type**

Text

**Label**

Other

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

MISCELLANEOUS

qi\_25 - 25

Nails and fingers.

<input type="radio"/>	0 No abnormality
<input type="radio"/>	1 Bitten nails

	2 Clubbed fingers
	* Other, namely

**Type**

Text

**Label**

Other

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

MISCELLANEOUS

**qi\_26 - 26**

Orthopaedic defects.

	o None
	1 Defect

**Conditions**

nshd\_53\_sd

B. EXAMINATION

MISCELLANEOUS

**qi\_26\_i - 26 i**

Please give details

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

MISCELLANEOUS

qc\_26 == 1

qi\_27 - 27

Present weight. (In underpants or knickers only and WITHOUT SHOES. If this is impossible please list the clothes in which he was weighed ... ) ... st. ... lbs. ... ozs.

**Label**

st.

**Start Value**

1

**Low**

1 (inclusive)

**Label**

lbs.

**Start Value**

0

**Low**

0 (inclusive)

**High**

13 (inclusive)

**Label**

OZS.

**Start Value**

0

**Low**

0 (inclusive)

**High**

15 (inclusive)

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

PHYSICAL MEASUREMENTS

qi\_27\_i - 27 i

Scales used.

1	Beam balance
2	Spring balance

**Conditions**

nshd\_53\_sd

B. EXAMINATION

PHYSICAL MEASUREMENTS

qi\_28 - 28

Present standing height. (WITHOUT SHOES.)

**Label**

ft.

**Start Value**

1

**Low**

1 (inclusive)

**Label**

ins.

**Start Value**

0

**Low**

0 (inclusive)

**High**

11 (inclusive)

1	Height measurer used
2	Measured against wall

**Conditions**

nshd\_53\_sd

B. EXAMINATION

PHYSICAL MEASUREMENTS

qi\_29\_a - 29 a

Speech.

0	No abnormality
---	----------------

1	Stammering
2	Dyslalia
*	Structural speech defect, namely

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

SPEECH

qi\_29\_b - 29 b

Does this child, in your opinion, need speech therapy?

1	Yes
o	No

**Conditions**

nshd\_53\_sd

B. EXAMINATION

SPEECH

qc\_29\_a == 1 || qc\_29\_a == 2

qi\_30\_a\_i - 30 a(i)

External Auditory Meatus. Right

1	Mucoid discharge
2	Purulent discharge
3	Wax
o	Clear
*	Other, namely

**Type**

Text

**Label**

Other

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

EARS

qi\_30\_a\_ii - 30 a(ii)

External Auditory Meatus. Left

1	Mucoid discharge
2	Purulent discharge
3	Wax
o	Clear
*	Other, namely

**Type**

Text

**Label**

Other

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

EARS

qi\_30\_b\_i - 30 b(i)

Drums. Right

o	Intact
1	Indrawn
2	Perforated
3	Obscured by wax
*	Other conditions, namely

**Type**

Text

**Label**

Other

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

EARS

qi\_30\_b\_ii - 30 b(ii)

Drums. Left

0	Intact
1	Indrawn
2	Perforated
3	Obscured by wax
*	Other conditions, namely

**Type**

Text

**Label**

Other

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

EARS

qi\_30\_c - 30 c

What is your assessment of this child's hearing?

3	Average or good
2	Poor
1	Very poor

**Conditions**

nshd\_53\_sd

B. EXAMINATION

EARS

qi\_31\_a - 31 a

Squint.

0	Does not squint
1	Concomitant squint
2	Paralytic squint

**Conditions**

nshd\_53\_sd

B. EXAMINATION

EYES

**Conditions**

nshd\_53\_sd

B. EXAMINATION

EYES

qi\_31\_b\_i - 31 b(i)

If acuity not measured please state reason

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

EYES

qi\_31\_c - 31 c

Eye defects not noted above:

**Type**

Text

**Label**

Other

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

EYES

qi\_32 - 32

Which hand does this child use to write or draw with?

1	Right hand
2	Left hand
3	Either hand

**Conditions**

nshd\_53\_sd

B. EXAMINATION

HANDEDNESS

qi\_33 - 33

Remarks on other abnormalities or deformities not reported above

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

B. EXAMINATION

HANDEDNESS

qi\_34 - 34

Pulse rate at end of examination ... per minute.

**Label**

How many?

**Start Value**

o

**Low**

o (inclusive)

**Conditions**

nshd\_53\_sd

B. EXAMINATION

HANDEDNESS

qi\_35\_a - 35 a

Alertness and activity.

2	Average
3	Above average
1	Below average
o	Apathetic

**Conditions**

nshd\_53\_sd

B. EXAMINATION

ASSESSMENTS

qi\_35\_b - 35 b

Physical development.

1	Average
2	Superior
o	Inferior

**Conditions**

nshd\_53\_sd

B. EXAMINATION

ASSESSMENTS

qi\_36 - 36

Estimate of the reliability of the medical history given by this mother.

1	Probably reliable
---	-------------------

2	Probably unreliable
o	Undecided

**Conditions**

nshd\_53\_sd

B. EXAMINATION

ASSESSMENTS

**qi\_outro\_i - outro i**

Name of Doctor making Examination

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

1	School doctor
2	Family doctor

**Conditions**

nshd\_53\_sd

Queries arising out of the last Medical Examination:-

**qi\_outro\_ii - outro ii**

Date of Examination

**Type**

Date/Time (Argenta.Colectica.Model.CodeValue)

**Label**

Generic date

**Conditions**

nshd\_53\_sd

Queries arising out of the last Medical Examination:-

**qi\_outro\_iii - outro iii**

Time taken for this interview

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sd

Queries arising out of the last Medical Examination:-

**nshd\_53\_sq - School questionnaire**

School questionnaire

**Collection Events**

1953

*Collection Organization*

**Mode of Collection**

Self-administered survey using a traditional paper questionnaire.

**1953 School questionnaire****qi\_intro\_i - intro i**

Ref. No.

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sq

**qi\_intro\_ii - intro ii**

Name

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sq

qi\_intro\_iii - intro iii

Address

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sq

qi\_intro\_iv - intro iv

School

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sq

qi\_intro\_v - intro v

New Address

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sq

FOR THOSE WHO HAVE MOVED

## qi\_intro\_vi - intro vi

L.E.A.

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sq

FOR THOSE WHO HAVE MOVED

## qi\_intro\_vii - intro vii

New School

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sq

FOR THOSE WHO HAVE MOVED

**Conditions**

nshd\_53\_sq

## qi\_2\_a - 2 a

Sex of children attending?

1	Boys only
2	Girls only
3	Mixed

**Conditions**

nshd\_53\_sq

Please give the following details about the PRESENT SCHOOL.

qi\_2\_b - 2 b

Type of school?

1	Maintained or assisted
2	Private or independent

**Conditions**

nshd\_53\_sq

Please give the following details about the PRESENT SCHOOL.

qi\_2\_c - 2 c

Number of children in the class to which this child belongs? ... children.

**Label**

How many?

**Start Value**

o

**Low**

o (inclusive)

**Conditions**

nshd\_53\_sq

Please give the following details about the PRESENT SCHOOL.

qi\_2\_d - 2 d

Age range of children in this class?

1	Less than 9 months
2	9-15 months
3	15 months to 2 years
4	More than 2 years

**Conditions**

nshd\_53\_sq

Please give the following details about the PRESENT SCHOOL.

qi\_3\_a - 3 a

How many changes of teacher has this child had since he came to this school? ... changes.

**Label**

How many?

**Start Value**

o

**Low**

o (inclusive)

**Conditions**

nshd\_53\_sq

Please give the following details about the child.

qi\_3\_b - 3 b

At what age was he first given formal instruction in reading? ... years.

**Label**

How many?

**Start Value**

o

**Low**

o (inclusive)

**Conditions**

nshd\_53\_sq

Please give the following details about the child.

qi\_3\_c - 3 c

Had anybody tried to teach him to read before this formal education was started.

1	Yes
2	No

**Conditions**

nshd\_53\_sq

Please give the following details about the child.

qi\_3\_c\_i - 3 c(i)

Please give details

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sq

Please give the following details about the child.

qc\_3\_c == 1

qi\_3\_d - 3 d

Can you say to what extent this child's parents show interest in his progress at school?

1	Very interested
2	Average interest
3	Little or no interest

**Conditions**

nshd\_53\_sq

Please give the following details about the child.

qi\_3\_d\_i - 3 d(i)

Comments:

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sq

Please give the following details about the child.

qi\_4 - 4

Is this child leaving this school at the end of the Summer Term, 1953?

1	Yes
2	No

**Conditions**

nshd\_53\_sq

qi\_4\_i - 4 i

Please give the name and address of the school to which he is going Name

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sq

qc\_4 == 1

qi\_4\_ii - 4 ii

Please give the name and address of the school to which he is going Address

**Type**

Text

**Label**

Generic text

**Maximum Length**

255

**Conditions**

nshd\_53\_sq

qc\_4 == 1

**Data****Analysis Unit**

Individual

**Kind of Data**

Survey Data

**Kind of Data**

Measurement Data

# 1953 School Doctor Dataset

Alternate Title: nshd\_53\_sd

**Case Quantity**

5362

## 1953 School questionnaire Dataset

Alternate Title: nshd\_53\_sq

**Case Quantity**

5362

## 1953 School Doctor Resource Package

Alternate Title: nshd\_53\_sd

### Category Lists

#### ABD53

- Unknown
- Unknown
- No abdominal pain
- Abdominal pain but doctor not called in nor child taken to hospital
- Doctor called in, but child not taken to hospital
- Taken to hospital

#### ABPND2

- No D2
- Unknown
- Unknown (blank on rubric card)
- No
- Yes

#### ALE53

- unknown
- unknown
- no info on rubric card
- Apathetic
- Below average
- Average

- Above average

### ALE532

- unknown
- Above average

### BRE53

- Unknown
- Unknown
- 2 cases no label
- No, does not breathe with mouth open in the daytime
- Yes does breathe with mouth open in the daytime

### CARD53

- No answer
- No answer
- 3 cases no label
- No other abnormality present
- Other abnormality present

### COLE53

- No D2
- Unknown (blank on rubric card)
- Question doesn't apply - not sometimes deaf
- [1 case - no label]
- Yes
- No

### CTHSD2

- No D2
- Unknown
- Not answered
- No clothes or pants & vest only
- More clothes than pants and vest
- [1 case - no label]

### DAD2

- No D2

- Unknown date, or November 1953
- Dec-53
- Oct 53
- Apr 53
- Feb 53
- Mar 53
- Apr 53
- May 53
- June 53
- July 53
- Aug 53
- Sept 53

### DEF53

- Unknown (blank on rubric card)
- Unknown (blank on rubric card)
- Unknown (blank on rubric card)
- No abnormality present
- Abnormality present
- [1 case - no label]

### DRCND2

- no D2
- Unknown
- No asthma
- No Dr consulted
- Dr consulted

### EYO53

- Unknown
- Unknown
- Unknown (blank on rubric card)
- No other defects
- Some other eye defect

### FAU53

- Unknown
- Unknown
- Not seen - child gags
- Not congested
- Congested

**FITD2**

- No D2
- Unknown
- Unknown (blank on rubric card)
- No
- Yes

**FTOCD2**

- No D2
- Unknown
- No fits / convulsions
- [2 cases - no labels]
- During an illness
- Whilst in normal health

**GLA53**

- Unknown
- Unknown
- Unknown (blank on rubric card)
- No
- Yes

**HAN53**

- Unknown
- Unknown
- 2 cases no label
- Unknown - coded as 's'
- [2 cases - no label]
- Right hand
- Left hand
- Either hand

**HEAMD2**

- No D2
- Unknown
- Unknown (blank on rubric card)
- Normal hearing
- Sometimes deaf
- Always deaf

**HEAR53**

- Unknown
- Unknown
- Unknown
- Unknown (coded as \$)
- [4 cases no label]
- Very poor
- Poor
- Average or good

**HLALD2**

- No D2
- Unknown
- No attacks
- Less than 1 hour
- 9 or more hours

**HT53**

- Unknown (coded as '+')
- Unknown
- Unknown (blank on rubric card)

**HTR53**

- Unknown
- Unknown
- Does not apply - no heart trouble
- No restriction of activities
- Restriction of activities

**HTT53**

- Unknown
- Unknown
- 7 cases no label
- Unknown - coded as '<'
- No heart trouble
- Yes, heart trouble

**IMP53**

- Unknown
- Unknown
- 3 cases no label
- No
- Yes

**INVD2**

- No D2
- Unknown
- No asthma
- No investigation (of cause of asthma)
- Yes at hospital
- Yes, by family doctor

**LAD53**

- Unknown
- Unknown
- Unknown
- Unknown (coded as /)
- Unknown (coded as \$)
- Unknown (coded as M)
- Unknown (coded as T)
- Unknown (coded as U)
- Intact
- Indrawn
- Perforated
- Obscured by wax
- Other

**LAM53**

- Unknown
- Unknown
- 2 cases no label
- Unknown (coded as S)
- Unknown (coded as \$)
- Unknown (coded as U)
- Clear
- Muroid discharge
- Purulent discharge
- Wax
- Other

**LRI53**

- Unknown
- Unknown
- Unknown (blank on rubric card)
- No
- Yes, sometimes
- Yes, continually

**LRID53**

- Unknown
- Unknown
- Does not apply
- Night only
- Day only
- Both day and night

**LYMA53**

- Unknown
- Unknown
- 2 cases no label
- Lymphatic glands not palpable (axilla)
- Palpable

**LYMG53**

- Unknown
- Unknown
- 2 cases no label
- Lymphatic glands not palpable (groin)
- Palpable

**LYMN53**

- Unknown
- Unknown
- 3 cases no label
- Lymphatic glands not palpable (neck)
- Palpable

**MEUD2**

- No D<sub>2</sub>
- Unknown
- Unknown
- [1 case - no label]
- Height measurer used
- Measured against wall
- [1 case - no label]
- [1 case - no label]
- [1 case - no label]

**MH53**

- Blank (103 on NHT<sub>50</sub>)
- Discarded in checking (777 on NHT<sub>53</sub>)
- Blank (103 on NHT<sub>53</sub>)

**MURL53**

- Unknown
- Unknown
- 1 case no label
- No murmurs heard
- Murmur(s) heard

**MURS53**

- Unknown
- Unknown
- 3 cases no label
- No murmurs heard
- Murmur(s) present

**MW53**

- Blank
- Discarded in checking
- Blank

**NAB53**

- Unknown (blank on rubric card)
- Unknown

## Variables

### nshd\_53\_sd

- SERNO
- ABD53 - Abdominal pain at 7 yrs (during past year)
- ABPND2 - Abdominal pain
- ALE53 - Alertness at 7 years
- ALE531 - Alertness at 7 years - first option chosen
- ALE532 - Alertness at 7 years - second option chosen
- BRE53 - Breathing (with mouth open in the daytime) 1953
- CARD53 - Other heart abnormalities (those not mentioned in any other art of the form) 1953
- COLE53 - Deafness with colds 1953
- CTHSD2 - Clothes when weighed
- DAD2 - Date of D2
- DEF53 - Other abnormalities or deformities
- DRCND2 - Treatment - asthma
- EYO53 - Eye defects other than squint 1953
- FAU53 - Pillars of Fauces 1953
- FITD2 - Fits and convulsions
- FTOCD2 - Fits & convulsions - occurrence
- GLA53 - Glasses in 1953
- HAN53 - Handedness - 1953
- HEAMD2 - Deafness
- HEAR53 - Doctor's assessment of child's hearing - 1953
- HLALD2 - How long they last (asthma attacks) hours
- HT53 - Height at 7 years (inches) ½ inches coded alternately up and down
- HTR53 - Heart trouble - restriction of activities 1953
- HTT53 - Heart trouble 1953
- IMP53 - Hernia or weakness in inguinal canal - 1953
- INVD2 - Investigations - asthma
- LAD53 - Left ear drum 53
- LAM53 - Left meatus 1953
- LRI53 - Cough (without a cold) 1953
- LRID53 - Coughing attacks day or night 1953 (when not got a cold)
- LYMA53 - Lymphatic glands (Axilla) 1953
- LYMG53 - Lymphatic glands (Groin) 1953
- LYMN53 - Lymphatic glands (Neck) 1953 (excluding tonsillar glands)
- MEUD2 - Height measure used
- MH53 - Metric height of SM in 1953 in mm (derived) (mean 1199.61 - 4140 observations)
- MURL53 - Murmurs - lying 1953
- MURS53 - Murmurs - standing 1953
- MW53 - Metric weight of SM in 1953 in kilos x 10 (derived) (mean 228.09 - 4000 observations)
- NAB53 - Nail biting at 7 years
- NAB531 - Nail biting at 7 years - first option chosen
- NAB532 - Nail biting at 7 years - second option chosen

- NAD53 - Nasal discharge - type - 1953
- NHT53 - Height at age 7 coded in inches
- NIH53 - Indication of whether any change made to original height variable (NHT53)
- NIWT53 - Indication of whether any change made to original weight variable (NWT53)
- NOFITD2 - Number of fits & convulsions (actual number coded)
- NOTD2 - Asthma - number of attacks
- NWT53 - Weight at age 7 coded in pounds
- ONP53 - Obstructions of nasal passages 1953
- ORT53 - Orthopaedic defects 1953
- PAINVD2 - Parent attending interview
- PHDVD2 - Physical developments
- PND53 - Post nasal discharge 1953
- PUE53 - Pulse rate minus 50 at beginning of actual examination by doctor i.e. section b of form
- PUL53 - Pulse rate minus 50 at end of doctor's actual examination i.e. section b of form
- PULM53 - Lungs 1953
- RAD53 - Right ear drum 1953
- RAM53 - Right meatus 1953
- REL53 - Reliability of child's medical history given my mother to school doctor
- RHYL53 - Heart rhythm lying 1953
- RHYS53 - Heart rhythm standing 1953
- SCLSD2 - Type of weighing scales used - form D2
- SIF53 - Frequency of recurrent vomiting during last year at 7 yrs
- SNEL53 - Snellen left eye without glasses 1953
- SNER53 - Snellen right eye without glasses 1953
- SNE53 - Reason for not measuring acuity 1953
- SNOR53 - Snoring 1953
- SNUF53 - Snuffly or running nose during last year - asked in 1953
- SORE53 - Sore throats during last year - asked in 1953
- SPHD2 - Any speech abnormalities - form D2
- SQU53 - Squint 1953
- STHPYD2 - Therapy? - if yes to SPHD2
- TADNA - Adenoidal symptoms and signs (number of symptoms and signs seen)
- TCOGA - Lower resp. infection 1952/53
- TERA - Ear trouble 1952/53
- TESA53 - Testes 1953
- TIND2 - Type of interview
- TONB53 - Benefit of tonsillectomy - asked by doctor to mother 1953
- TONC53 - Tonsils - condition of crypts 1953
- TONG53 - Tonsils - size 1953
- TONL53 - Waiting list for tonsillectomy - asked by doctor to mother 1953
- TONM53 - Whether child's tonsils removed - mother asked by doctor 1953
- TONO53 - Has anyone suggested removal of child's tonsils - if so who (asked by school doctor to mother)
- TONP53 - Tonsils - presence 1953
- TONW4653 - Where tonsils removed up to 1953
- TONX53 - Tonsillar glands 1953
- TONY53 - Need for removal of tonsils - examining doctor's opinion 1953
- TREMA - Tonsils

- TSIGTA - Tonsils (number of signs of infected tonsils coded)
- TURPA - Upper respiratory passages 1952/3
- WDL53 - 1953 Doctor's form
- WT53 - Weight at 7yrs - pants and knickers only - without shoes

## SERNO

## ABD53

**Label**

Abdominal pain at 7 yrs (during past year)

**Source Questions****qi\_10\_a**

Has this child had any attacks of abdominal pain during the last year?

**qi\_10\_b**

Was a doctor called in or was he taken to hospital?

-9999	Unknown
-9899	Unknown
-9799	No abdominal pain
0	Abdominal pain but doctor not called in nor child taken to hospital
1	Doctor called in, but child not taken to hospital
2	Taken to hospital

## ABPND2

**Label**

Abdominal pain

**Source Questions****qi\_10\_a**

Has this child had any attacks of abdominal pain during the last year?

-9999	No D2
-9899	Unknown
-9799	Unknown (blank on rubric card)
0	No
1	Yes

**ALE53****Label**

Alertness at 7 years

**Source Questions****qi\_35\_a**

Alertness and activity.

-9999	unknown
-9899	unknown
-9799	no info on rubric card
0	Apathetic
1	Below average
2	Average
3	Above average

**ALE531****Label**

Alertness at 7 years - first option chosen

**Source Questions****qi\_35\_a**

Alertness and activity.

-9999	unknown
-9899	unknown
-9799	no info on rubric card
0	Apathetic
1	Below average
2	Average
3	Above average

**ALE532****Label**

Alertness at 7 years - second option chosen

**Source Questions****qi\_35\_a**

Alertness and activity.

-9999	unknown
3	Above average

**BRE53****Label**

Breathing (with mouth open in the daytime) 1953

**Source Questions****qi\_4\_a**

Does this child breathe with his mouth open in the day time?

-9999	Unknown
-9899	Unknown
-9799	2 cases no label
0	No, does not breathe with mouth open in the daytime
1	Yes does breathe with mouth open in the daytime

**CARD53****Label**

Other heart abnormalities (those not mentioned in any other art of the form) 1953

**Source Questions****qi\_20\_c**

Details of any other cardiac abnormalities not noted above

-9999	No answer
-9899	No answer
-9799	3 cases no label
0	No other abnormality present
1	Other abnormality present

**COLE53****Label**

Deafness with colds 1953

**Source Questions****qi\_12\_b**

Is he hard of hearing when he has colds?

-9999	No D2
-9899	Unknown (blank on rubric card)
-9799	Question doesn't apply - not sometimes deaf
o	[1 case - no label]
1	Yes
2	No

## CTHSD2

### Label

Clothes when weighed

### Source Questions

#### qi\_27

Present weight. (In underpants or knickers only and WITHOUT SHOES. If this is impossible please list the clothes in which he was weighed ... ) ... st. ... lbs. ... ozs.

#### qi\_27\_i

Scales used.

-9999	No D2
-9899	Unknown
-9799	Not answered
o	No clothes or pants & vest only
1	More clothes than pants and vest
4	[1 case - no label]

## DAD2

### Label

Date of D2

### Source Questions

#### qi\_outro\_ii

Date of Examination

-9999	No D2
-9899	Unknown date, or November 1953
-9799	Dec-53
o	Oct 53
1	Apr 53

2	Feb 53
3	Mar 53
4	Apr 53
5	May 53
6	June 53
7	July 53
8	Aug 53
9	Sept 53

**DEF53****Label**

Other abnormalities or deformities

**Source Questions****qi\_33**

Remarks on other abnormalities or deformities not reported above

-9999	Unknown (blank on rubric card)
-9899	Unknown (blank on rubric card)
-9799	Unknown (blank on rubric card)
0	No abnormality present
1	Abnormality present
3	[1 case - no label]

**DRCND2****Label**

Treatment - asthma

**Source Questions****qi\_6\_d**

Has a doctor been consulted about his asthma?

-9999	no D2
-9899	Unknown
-9799	No asthma
0	No Dr consulted
1	Dr consulted

## EYO53

**Label**

Eye defects other than squint 1953

**Source Questions****qi\_31\_c**

Eye defects not noted above:

-9999	Unknown
-9899	Unknown
-9799	Unknown (blank on rubric card)
o	No other defects
1	Some other eye defect

## FAU53

**Label**

Pillars of Fauces 1953

**Source Questions****qi\_18\_a**

Colour of pillars of fauces.

-9999	Unknown
-9899	Unknown
-9799	Not seen - child gags
o	Not congested
1	Congested

## FITD2

**Label**

Fits and convulsions

**Source Questions****qi\_13\_a**

Has this child, during the last year, had a fit or con-vulsion or lost conscious-ness?

-9999	No D2
-9899	Unknown
-9799	Unknown (blank on rubric card)
o	No

1	Yes
---	-----

**FTOCD2****Label**

Fits &amp; convulsions - occurrence

**Source Questions****qi\_13\_c**

Did they occur during an illness or while he was in normal health?

-9999	No D2
-9899	Unknown
-9799	No fits / convulsions
o	[2 cases - no labels]
1	During an illness
2	Whilst in normal health

**GLA53****Label**

Glasses in 1953

**Source Questions****qi\_31\_a**

Squint.

**qi\_31\_b\_i**

If acuity not measured please state reason

**qi\_31\_c**

Eye defects not noted above:

-9999	Unknown
-9899	Unknown
-9799	Unknown (blank on rubric card)
o	No
1	Yes

**HAN53****Label**

Handedness - 1953

**Source Questions****qi\_32**

Which hand does this child use to write or draw with?

-9999	Unknown
-9899	Unknown
-9799	2 cases no label
-8799	Unknown - coded as '\$'
0	[2 cases - no label]
1	Right hand
2	Left hand
3	Either hand

**HEAMD2****Label**

Deafness

**Source Questions****qi\_12\_a**

Is this child hard of hearing sometimes, or all the time?

-9999	No D2
-9899	Unknown
-9799	Unknown (blank on rubric card)
0	Normal hearing
1	Sometimes deaf
2	Always deaf

**HEAR53****Label**

Doctor's assessment of child's hearing - 1953

**Source Questions****qi\_30\_c**

What is your assessment of this child's hearing?

-9999	Unknown
-9899	Unknown
-9799	Unknown

-8799	Unknown (coded as \$)
0	[4 cases no label]
1	Very poor
2	Poor
3	Average or good

**HLALD2****Label**

How long they last (asthma attacks) hours

**Source Questions****qi\_6\_c**

How long do they last? ... hours

-9999	No D2
-9899	Unknown
-9799	No attacks
0	Less than 1 hour
9	9 or more hours

**HT53****Label**

Height at 7 years (inches) ½ inches coded alternately up and down

**Source Questions****qi\_28**

Present standing height. (WITHOUT SHOES.)

-9799	Unknown (coded as '+')
-9699	Unknown
-9599	Unknown (blank on rubric card)

**HTR53****Label**

Heart trouble - restriction of activities 1953

**Source Questions****qi\_9\_b**

Did this treatment lead to any restriction of his activities?

-9999	Unknown
-9899	Unknown
-9799	Does not apply - no heart trouble
o	No restriction of activities
1	Restriction of activities

### HTT53

#### Label

Heart trouble 1953

#### Source Questions

##### qi\_9\_a

During the last year, has this child been treated for heart trouble?

-9999	Unknown
-9899	Unknown
-9799	7 cases no label
-9099	Unknown - coded as '<'
o	No heart trouble
1	Yes, heart trouble

### IMP53

#### Label

Hernia or weakness in inguinal canal - 1953

#### Source Questions

##### qi\_21

Is there any evidence of hernia or weakness of the inguinal canal?

##### qi\_21\_i

Please describe

-9999	Unknown
-9899	Unknown
-9799	3 cases no label
o	No
1	Yes

## INVD2

**Label**

Investigations - asthma

**Source Questions****qi\_6\_e**

Has the cause of the attacks been investigated?

-9999	No Dz
-9899	Unknown
-9799	No asthma
o	No investigation (of cause of asthma)
1	Yes at hospital
2	Yes, by family doctor

## LAD53

**Label**

Left ear drum 53

**Source Questions****qi\_30\_b\_i**

Drums. Right

**qi\_30\_b\_ii**

Drums. Left

-9999	Unknown
-9899	Unknown
-9799	Unknown
-9199	Unknown (coded as /)
-8799	Unknown (coded as \$)
-8599	Unknown (coded as M)
-7999	Unknown (coded as T)
-7899	Unknown (coded as U)
o	Intact
1	Indrawn
2	Perforated
3	Obscured by wax
4	Other

**LAM53****Label**

Left meatus 1953

**Source Questions****qi\_30\_a\_i**

External Auditory Meatus. Right

**qi\_30\_a\_ii**

External Auditory Meatus. Left

-9999	Unknown
-9899	Unknown
-9799	2 cases no label
-8999	Unknown (coded as S)
-8799	Unknown (coded as \$)
-7899	Unknown (coded as U)
0	Clear
1	Mucoid discharge
2	Purulent discharge
3	Wax
4	Other

**LRI53****Label**

Cough (without a cold) 1953

**Source Questions****qi\_7\_a**

Has this child during the last year had attacks of coughing when he has NOT got a cold?

-9999	Unknown
-9899	Unknown
-9799	Unknown (blank on rubric card)
0	No
1	Yes, sometimes
2	Yes, continually

## LRID53

**Label**

Coughing attacks day or night 1953 (when not got a cold)

**Source Questions****qi\_7\_b**

When he coughs, is it at night only, in the day only or both in the day and night?

-9999	Unknown
-9899	Unknown
-9799	Does not apply
1	Night only
2	Day only
3	Both day and night

## LYMA53

**Label**

Lymphatic glands (Axilla) 1953

**Source Questions****qi\_23\_i**

Lymphatic glands Neck (Exc. tonsillar glands)

-9999	Unknown
-9899	Unknown
-9799	2 cases no label
0	Lymphatic glands not palpable (axilla)
1	Palpable

## LYMG53

**Label**

Lymphatic glands (Groin) 1953

**Source Questions****qi\_23\_ii**

Lymphatic glands Axilla

-9999	Unknown
-9899	Unknown
-9799	2 cases no label

0	Lymphatic glands not palpable (groin)
1	Palpable

**LYMN53****Label**

Lymphatic glands (Neck) 1953 (excluding tonsillar glands)

**Source Questions****qi\_23\_iii**

Lymphatic glands Groin

-9999	Unknown
-9899	Unknown
-9799	3 cases no label
0	Lymphatic glands not palpable (neck)
1	Palpable

**MEUD2****Label**

Height measure used

**Source Questions****qi\_28**

Present standing height. (WITHOUT SHOES.)

-9999	No D2
-9899	Unknown
-9799	Unknown
0	[1 case - no label]
1	Height measurer used
2	Measured against wall
3	[1 case - no label]
4	[1 case - no label]
8	[1 case - no label]

**MH53****Label**

Metric height of SM in 1953 in mm (derived) (mean 1199.61 - 4140 observations)

**Source Questions****qi\_28**

Present standing height. (WITHOUT SHOES.)

-9999	Blank (103 on NHT50)
9997	Discarded in checking (777 on NHT53)
9999	Blank (103 on NHT53)

**MURL53****Label**

Murmurs - lying 1953

**Source Questions****qi\_20\_b\_ii**

Murmurs. Lying

-9999	Unknown
-9899	Unknown
-9799	1 case no label
	o No murmurs heard
	1 Murmur(s) heard

**MURS53****Label**

Murmurs - standing 1953

**Source Questions****qi\_20\_b\_i**

Murmurs. Standing

-9999	Unknown
-9899	Unknown
-9799	3 cases no label
	o No murmurs heard
	1 Murmur(s) present

**MW53****Label**

Metric weight of SM in 1953 in kilos x 10 (derived) (mean 228.09 - 4000 observations)

**Source Questions****qi\_27**

Present weight. (In underpants or knickers only and WITHOUT SHOES. If this is impossible please list the clothes in which he was weighed ... ) ... st. ... lbs. ... ozs.

**qi\_27\_i**

Scales used.

-9999	Blank
9997	Discarded in checking
9999	Blank

**NAB53****Label**

Nail biting at 7 years

**Source Questions****qi\_25**

Nails and fingers.

+	Unknown (blank on rubric card)
-	Unknown

**NAB531****Label**

Nail biting at 7 years - first option chosen

**Source Questions****qi\_25**

Nails and fingers.

**NAB532****Label**

Nail biting at 7 years - second option chosen

**Source Questions****qi\_25**

Nails and fingers.

**NAD53****Label**

Nasal discharge - type - 1953

**Source Questions****qi\_17\_b**

Is it watery or muco-purulent?

**NHT53****Label**

Height at age 7 coded in inches

**Source Questions****qi\_28**

Present standing height. (WITHOUT SHOES.)

**Type**

Text

**NIH53****Label**

Indication of whether any change made to original height variable (NHT53)

**Source Questions****qi\_28**

Present standing height. (WITHOUT SHOES.)

**Type**

Text

**NIWT53****Label**

Indication of whether any change made to original weight variable (NWT53)

**Source Questions****qi\_27**

Present weight. (In underpants or knickers only and WITHOUT SHOES. If this is impossible please list the clothes in which he was weighed ... ) ... st. ... lbs. ... ozs.

**qi\_27\_i**

Scales used.

**Type**

Text

**NOFITD2****Label**

Number of fits & convulsions (actual number coded)

**Source Questions****qi\_13\_b**

How many fits or convulsions has he had during the last year? ... fits or convulsions

**NOTD2****Label**

Asthma - number of attacks

**Source Questions****qi\_6\_b**

How frequent are his asthmatic attacks?

**NWT53****Label**

Weight at age 7 coded in pounds

**Source Questions****qi\_27**

Present weight. (In underpants or knickers only and WITHOUT SHOES. If this is impossible please list the clothes in which he was weighed ... ) ... st. ... lbs. ... ozs.

**qi\_27\_i**

Scales used.

**Type**

Text

**ONP53****Label**

Obstructions of nasal passages 1953

**Source Questions****qi\_17\_d**

Are this child's nasal passages obstructed?

**ORT53**

**Label**

Orthopaedic defects 1953

**Source Questions**

**qi\_26**

Orthopaedic defects.

**qi\_26\_i**

Please give details

**PAINVD2**

**Label**

Parent attending interview

**Source Questions**

**qi\_3**

Parent or relative attending with child

**PHDVD2**

**Label**

Physical developments

**Source Questions**

**qi\_35\_b**

Physical development.

**PND53**

**Label**

Post nasal discharge 1953

**Source Questions**

**qi\_17\_c**

Is there a post-nasal dis-charge hanging down behind the uvula?

**PUE53**

**Label**

Pulse rate minus 50 at beginning of actual examination by doctor i.e. section b of form

**Source Questions**

**qi\_16**

Pulse rate at beginning of examination ... per minute

**PUL53**

**Label**

Pulse rate minus 50 at end of doctor's actual examination i.e. section b of form

**Source Questions**

**qi\_34**

Pulse rate at end of examination ... per minute.

**PULM53**

**Label**

Lungs 1953

**Source Questions**

**qi\_19**

Are there any abnormal signs present in the lungs?

**qi\_19\_i**

Please describe

**RAD53**

**Label**

Right ear drum 1953

**Source Questions**

**qi\_30\_b\_i**

Drums. Right

**qi\_30\_b\_ii**

Drums. Left

**RAM53**

**Label**

Right meatus 1953

**Source Questions**

**qi\_30\_a\_i**

External Auditory Meatus. Right

**qi\_30\_a\_ii**

External Auditory Meatus. Left

**REL53**

**Label**

Reliability of child's medical history given my mother to school doctor

**Source Questions**

**qi\_36**

Estimate of the reliability of the medical history given by this mother.

**RHYL53**

**Label**

Heart rhythm lying 1953

**Source Questions**

**qi\_20\_a\_ii**

Rhythm Lying

**RHYS53**

**Label**

Heart rhythm standing 1953

**Source Questions**

**qi\_20\_a\_i**

Rhythm Standing

**SCLSD2**

**Label**

Type of weighing scales used - form D2

**Source Questions**

**qi\_27**

Present weight. (In underpants or knickers only and WITHOUT SHOES. If this is impossible please list the clothes in which he was weighed ... ) ... st. ... lbs. ... ozs.

**qi\_27\_i**

Scales used.

**SIF53****Label**

Frequency of recurrent vomiting during last year at 7 yrs

**Source Questions****qi\_11\_b**

About how often does he have these attacks?

**SNEL53****Label**

Snellen left eye without glasses 1953

**SNER53****Label**

Snellen right eye without glasses 1953

**SNEX53****Label**

Reason for not measuring acuity 1953

**Source Questions****qi\_31\_b\_i**

If acuity not measured please state reason

**SNOR53****Label**

Snoring 1953

**Source Questions****qi\_4\_b**

Does he snore at night?

**SNUF53****Label**

Snuffly or running nose during last year - asked in 1953

**Source Questions****qi\_4\_c**

How often has he had a snuffly or running nose during the last year?

## SORE53

### Label

Sore throats during last year - asked in 1953

### Source Questions

qi\_4\_d

Has he had a sore throat during the last year? If so, how many has he had? ... sore throats

## SPHD2

### Label

Any speech abnormalities - form D2

### Source Questions

qi\_29\_a

Speech.

## SQU53

### Label

Squint 1953

### Source Questions

qi\_31\_a

Squint.

## STHPYD2

### Label

Therapy? - if yes to SPHD2

### Source Questions

qi\_29\_a

Speech.

## TADNA

### Label

Adenoidal symptoms and signs (number of symptoms and signs seen)

### Source Questions

qi\_17\_d

Are this child's nasal passages obstructed?

**qi\_4\_a**

Does this child breathe with his mouth open in the day time?

**qi\_4\_b**

Does he snore at night?

## TCOGA

### Label

Lower resp. infection 1952/53

### Source Questions

**qi\_5\_c**

Why were they removed?

**qi\_7\_b**

When he coughs, is it at night only, in the day only or both in the day and night?

## TERA

### Label

Ear trouble 1952/53

### Source Questions

**qi\_11\_b**

About how often does he have these attacks?

**qi\_12\_b**

Is he hard of hearing when he has colds?

**qi\_30\_a\_i**

External Auditory Meatus. Right

**qi\_30\_a\_ii**

External Auditory Meatus. Left

**qi\_30\_b\_i**

Drums. Right

**qi\_30\_b\_ii**

Drums. Left

**qi\_31\_a**

Squint.

## TESA53

### Label

Testes 1953

**Source Questions**

**qi\_22**

Are both testicles in the scrotal sac?

**TIND2**

**Label**

Type of interview

**Source Questions**

**qi\_2**

If this child is living but the form cannot be completed please state the reason here :

**TONB53**

**Label**

Benefit of tonsillectomy - asked by doctor to mother 1953

**Source Questions**

**qi\_5\_d**

Has his condition been better, worse or unchanged since their removal?

**TONC53**

**Label**

Tonsils - condition of crypts 1953

**Source Questions**

**qi\_18\_d**

Crypts.

**TONG53**

**Label**

Tonsils - size 1953

**Source Questions**

**qi\_18\_c**

Size of tonsils.

**TONL53**

**Label**

Waiting list for tonsillectomy - asked by doctor to mother 1953

**Source Questions**

**qi\_5\_h**

Is he on a waiting list for tonsillectomy?

**TONM53**

**Label**

Whether child's tonsils removed - mother asked by doctor 1953

**Source Questions**

**qi\_5\_a**

Have this child's tonsils been removed?

**TONO53**

**Label**

Has anyone suggested removal of child's tonsils - if so who (asked by school doctor to mother)

**Source Questions**

**qi\_5\_f**

Has anyone suggested that his tonsils should be removed?

**TONP53**

**Label**

Tonsils - presence 1953

**Source Questions**

**qi\_18\_b**

Tonsils.

**TONW4653**

**Label**

Where tonsils removed up to 1953

**Source Questions**

**qi\_5\_b**

Where were they removed?

**TONX53**

**Label**

Tonsillar glands 1953

**Source Questions**

**qi\_18\_e**

Tonsillar glands.

**TONY53**

**Label**

Need for removal of tonsils - examining doctor's opinion 1953

**Source Questions**

**qi\_18\_f**

In your opinion should this child's tonsils be removed?

**TREMA**

**Label**

Tonsils

**Source Questions**

**qi\_18\_b**

Tonsils.

**qi\_4\_a**

Does this child breathe with his mouth open in the day time?

**qi\_5\_a**

Have this child's tonsils been removed?

**qi\_5\_h**

Is he on a waiting list for tonsillectomy?

**TSIGTA**

**Label**

Tonsils (number of signs of infected tonsils coded)

**Source Questions**

**qi\_18\_b**

Tonsils.

**qi\_18\_c**

Size of tonsils.

**qi\_18\_d**

Crypts.

**qi\_18\_e**

Tonsillar glands.

**qi\_4\_a**

Does this child breathe with his mouth open in the day time?

**qi\_5\_a**

Have this child's tonsils been removed?

**qi\_5\_h**

Is he on a waiting list for tonsillectomy?

**TURPA****Label**

Upper respiratory passages 1952/3

**Source Questions****qi\_17\_a**

Is there a nasal discharge?

**qi\_17\_b**

Is it watery or muco-purulent?

**qi\_17\_c**

Is there a post-nasal discharge hanging down behind the uvula?

**qi\_17\_d**

Are this child's nasal passages obstructed?

**qi\_18\_a**

Colour of pillars of fauces.

**qi\_20\_a\_i**

Rhythm Standing

**qi\_20\_a\_ii**

Rhythm Lying

**qi\_20\_a\_iii**

Please describe the nature of the irregularity

**qi\_20\_b\_i**

Murmurs. Standing

**qi\_20\_b\_ii**

Murmurs. Lying

**qi\_20\_b\_iii**

Please describe, giving timing and location

**qi\_20\_c**

Details of any other cardiac abnormalities not noted above

**qi\_21**

Is there any evidence of hernia or weakness of the inguinal canal?

## WDLD53

**Label**

1953 Doctor's form

## WT53

**Label**

Weight at 7yrs - pants and knickers only - without shoes

**Source Questions****qi\_27**

Present weight. (In underpants or knickers only and WITHOUT SHOES. If this is impossible please list the clothes in which he was weighed ... ) ... st. ... lbs. ... ozs.

**qi\_27\_i**

Scales used.

## Variable Group - Physical health

**Concept**

103 - Physical health

**Type**

ConceptGroup

**Items**

- ABD53 - Abdominal pain at 7 yrs (during past year)
- ABPND2 - Abdominal pain
- ALE53 - Alertness at 7 years
- ALE531 - Alertness at 7 years - first option chosen
- ALE532 - Alertness at 7 years - second option chosen
- BRE53 - Breathing (with mouth open in the daytime) 1953
- CARD53 - Other heart abnormalities (those not mentioned in any other art of the form) 1953
- COLE53 - Deafness with colds 1953
- CTHSD2 - Clothes when weighed
- DEF53 - Other abnormalities or deformities
- DRCND2 - Treatment - asthma
- EYO53 - Eye defects other than squint 1953
- FAU53 - Pillars of Fauces 1953
- FITD2 - Fits and convulsions
- FTOCD2 - Fits & convulsions - occurrence
- GLA53 - Glasses in 1953
- HAN53 - Handedness - 1953
- HEAMD2 - Deafness
- HEAR53 - Doctor's assessment of child's hearing - 1953
- HLALD2 - How long they last (asthma attacks) hours

- HT53 - Height at 7 years (inches) ½ inches coded alternately up and down
- HTR53 - Heart trouble - restriction of activities 1953
- HTT53 - Heart trouble 1953
- IMP53 - Hernia or weakness in inguinal canal - 1953
- INVGD2 - Investigations - asthma
- LAD53 - Left ear drum 53
- LAM53 - Left meatus 1953
- LRI53 - Cough (without a cold) 1953
- LRID53 - Coughing attacks day or night 1953 (when not got a cold)
- LYMA53 - Lymphatic glands (Axilla) 1953
- LYMG53 - Lymphatic glands (Groin) 1953
- LYMN53 - Lymphatic glands (Neck) 1953 (excluding tonsillar glands)
- MEUD2 - Height measure used
- MH53 - Metric height of SM in 1953 in mm (derived) (mean 1199.61 - 4140 observations)
- MURL53 - Murmurs - lying 1953
- MURS53 - Murmurs - standing 1953
- MW53 - Metric weight of SM in 1953 in kilos x 10 (derived) (mean 228.09 - 4000 observations)
- NAB53 - Nail biting at 7 years
- NAB531 - Nail biting at 7 years - first option chosen
- NAB532 - Nail biting at 7 years - second option chosen
- NAD53 - Nasal discharge - type - 1953
- NHT53 - Height at age 7 coded in inches
- NIH53 - Indication of whether any change made to original height variable (NHT53)
- NIWT53 - Indication of whether any change made to original weight variable (NWT53)
- NOFITD2 - Number of fits & convulsions (actual number coded)
- NOTD2 - Asthma - number of attacks
- NWT53 - Weight at age 7 coded in pounds
- ONP53 - Obstructions of nasal passages 1953
- ORT53 - Orthopaedic defects 1953
- PHDVD2 - Physical developments
- PND53 - Post nasal discharge 1953
- PUE53 - Pulse rate minus 50 at beginning of actual examination by doctor i.e. section b of form
- PUL53 - Pulse rate minus 50 at end of doctor's actual examination i.e. section b of form
- PULM53 - Lungs 1953
- RAD53 - Right ear drum 1953
- RAM53 - Right meatus 1953
- RHYL53 - Heart rhythm lying 1953
- RHYS53 - Heart rhythm standing 1953
- SCLSD2 - Type of weighing scales used - form D2
- SIF53 - Frequency of recurrent vomiting during last year at 7 yrs
- SNEL53 - Snellen left eye without glasses 1953
- SNER53 - Snellen right eye without glasses 1953
- SNEX53 - Reason for not measuring acuity 1953
- SNOR53 - Snoring 1953
- SNUF53 - Snuffly or running nose during last year - asked in 1953
- SORE53 - Sore throats during last year - asked in 1953
- SPHD2 - Any speech abnormalities - form D2
- SQU53 - Squint 1953

- STHPYD2 - Therapy? - if yes to SPHD2
- TADNA - Adenoidal symptoms and signs (number of symptoms and signs seen)
- TCOGA - Lower resp. infection 1952/53
- TERA - Ear trouble 1952/53
- TESA53 - Testes 1953
- TONB53 - Benefit of tonsillectomy - asked by doctor to mother 1953
- TONC53 - Tonsils - condition of crypts 1953
- TONG53 - Tonsils - size 1953
- TONL53 - Waiting list for tonsillectomy - asked by doctor to mother 1953
- TONM53 - Whether child's tonsils removed - mother asked by doctor 1953
- TONO53 - Has anyone suggested removal of child's tonsils - if so who (asked by school doctor to mother)
- TONP53 - Tonsils - presence 1953
- TONX53 - Tonsillar glands 1953
- TONY53 - Need for removal of tonsils - examining doctor's opinion 1953
- TREMA - Tonsils
- TSIGTA - Tonsils (number of signs of infected tonsils coded)
- TURPA - Upper respiratory passages 1952/3
- WT53 - Weight at 7yrs - pants and knickers only - without shoes

ABD53

**Label**

Abdominal pain at 7 yrs (during past year)

*Source Questions***qi\_10\_a**

Has this child had any attacks of abdominal pain during the last year?

**qi\_10\_b**

Was a doctor called in or was he taken to hospital?

-9999	Unknown
-9899	Unknown
-9799	No abdominal pain
0	Abdominal pain but doctor not called in nor child taken to hospital
1	Doctor called in, but child not taken to hospital
2	Taken to hospital

ABPND2

**Label**

Abdominal pain

*Source Questions***qi\_10\_a**

Has this child had any attacks of abdominal pain during the last year?

-9999	No D2
-9899	Unknown
-9799	Unknown (blank on rubric card)
0	No
1	Yes

ALE53

**Label**

Alertness at 7 years

*Source Questions***qi\_35\_a**

Alertness and activity.

-9999	unknown
-9899	unknown
-9799	no info on rubric card
0	Apathetic
1	Below average
2	Average
3	Above average

ALE531

**Label**

Alertness at 7 years - first option chosen

*Source Questions***qi\_35\_a**

Alertness and activity.

-9999	unknown
-9899	unknown
-9799	no info on rubric card
0	Apathetic
1	Below average

2	Average
3	Above average

ALE532

**Label**

Alertness at 7 years - second option chosen

*Source Questions***qi\_35\_a**

Alertness and activity.

-9999	unknown
3	Above average

BRE53

**Label**

Breathing (with mouth open in the daytime) 1953

*Source Questions***qi\_4\_a**

Does this child breathe with his mouth open in the day time?

-9999	Unknown
-9899	Unknown
-9799	2 cases no label
0	No, does not breathe with mouth open in the daytime
1	Yes does breathe with mouth open in the daytime

CARD53

**Label**

Other heart abnormalities (those not mentioned in any other art of the form) 1953

*Source Questions***qi\_20\_c**

Details of any other cardiac abnormalities not noted above

-9999	No answer
-9899	No answer
-9799	3 cases no label

0	No other abnormality present
1	Other abnormality present

**COLE53****Label**

Deafness with colds 1953

*Source Questions***qi\_12\_b**

Is he hard of hearing when he has colds?

-9999	No D2
-9899	Unknown (blank on rubric card)
-9799	Question doesn't apply - not sometimes deaf
0	[1 case - no label]
1	Yes
2	No

**CTHSD2****Label**

Clothes when weighed

*Source Questions***qi\_27**

Present weight. (In underpants or knickers only and WITHOUT SHOES. If this is impossible please list the clothes in which he was weighed ... ) ... st. ... lbs. ... ozs.

**qi\_27\_i**

Scales used.

-9999	No D2
-9899	Unknown
-9799	Not answered
0	No clothes or pants & vest only
1	More clothes than pants and vest
4	[1 case - no label]

**DEF53****Label**

Other abnormalities or deformities

*Source Questions***qi\_33**

Remarks on other abnormalities or deformities not reported above

-9999	Unknown (blank on rubric card)
-9899	Unknown (blank on rubric card)
-9799	Unknown (blank on rubric card)
0	No abnormality present
1	Abnormality present
3	[1 case - no label]

**DRCND2****Label**

Treatment - asthma

*Source Questions***qi\_6\_d**

Has a doctor been consulted about his asthma?

-9999	no D2
-9899	Unknown
-9799	No asthma
0	No Dr consulted
1	Dr consulted

**EYO53****Label**

Eye defects other than squint 1953

*Source Questions***qi\_31\_c**

Eye defects not noted above:

-9999	Unknown
-9899	Unknown
-9799	Unknown (blank on rubric card)
0	No other defects
1	Some other eye defect

FAU53

**Label**

Pillars of Fauces 1953

*Source Questions***qi\_18\_a**

Colour of pillars of fauces.

-9999	Unknown
-9899	Unknown
-9799	Not seen - child gags
o	Not congested
1	Congested

FITD2

**Label**

Fits and convulsions

*Source Questions***qi\_13\_a**

Has this child, during the last year, had a fit or con-vulsion or lost conscious-ness?

-9999	No D2
-9899	Unknown
-9799	Unknown (blank on rubric card)
o	No
1	Yes

FTOCD2

**Label**

Fits &amp; convulsions - occurrence

*Source Questions***qi\_13\_c**

Did they occur during an illness or while he was in normal health?

-9999	No D2
-9899	Unknown
-9799	No fits / convulsions
o	[2 cases - no labels]

1	During an illness
2	Whilst in normal health

GLA53

**Label**

Glasses in 1953

*Source Questions***qi\_31\_a**

Squint.

**qi\_31\_b\_i**

If acuity not measured please state reason

**qi\_31\_c**

Eye defects not noted above:

-9999	Unknown
-9899	Unknown
-9799	Unknown (blank on rubric card)
0	No
1	Yes

HAN53

**Label**

Handedness - 1953

*Source Questions***qi\_32**

Which hand does this child use to write or draw with?

-9999	Unknown
-9899	Unknown
-9799	2 cases no label
-8799	Unknown - coded as '\$'
0	[2 cases - no label]
1	Right hand
2	Left hand
3	Either hand

HEAMD2

**Label**

Deafness

*Source Questions***qi\_12\_a**

Is this child hard of hearing sometimes, or all the time?

-9999	No D2
-9899	Unknown
-9799	Unknown (blank on rubric card)
0	Normal hearing
1	Sometimes deaf
2	Always deaf

HEAR53

**Label**

Doctor's assessment of child's hearing - 1953

*Source Questions***qi\_30\_c**

What is your assessment of this child's hearing?

-9999	Unknown
-9899	Unknown
-9799	Unknown
-8799	Unknown (coded as \$)
0	[4 cases no label]
1	Very poor
2	Poor
3	Average or good

HLALD2

**Label**

How long they last (asthma attacks) hours

*Source Questions***qi\_6\_c**

How long do they last? ... hours

-9999	No Dz
-9899	Unknown
-9799	No attacks
o	Less than 1 hour
9 9	9 or more hours

HT53

**Label**

Height at 7 years (inches) ½ inches coded alternately up and down

*Source Questions***qi\_28**

Present standing height. (WITHOUT SHOES.)

-9799	Unknown (coded as '+')
-9699	Unknown
-9599	Unknown (blank on rubric card)

HTR53

**Label**

Heart trouble - restriction of activities 1953

*Source Questions***qi\_9\_b**

Did this treatment lead to any restriction of his activities?

-9999	Unknown
-9899	Unknown
-9799	Does not apply - no heart trouble
o	No restriction of activities
1	Restriction of activities

HTT53

**Label**

Heart trouble 1953

*Source Questions***qi\_9\_a**

During the last year, has this child been treated for heart trouble?

-9999	Unknown
-9899	Unknown
-9799	7 cases no label
-9099	Unknown - coded as '<'
0	No heart trouble
1	Yes, heart trouble

**IMP53****Label**

Hernia or weakness in inguinal canal - 1953

*Source Questions***qi\_21**

Is there any evidence of hernia or weakness of the inguinal canal?

**qi\_21\_i**

Please describe

-9999	Unknown
-9899	Unknown
-9799	3 cases no label
0	No
1	Yes

**INVGD2****Label**

Investigations - asthma

*Source Questions***qi\_6\_e**

Has the cause of the attacks been investigated?

-9999	No D2
-9899	Unknown
-9799	No asthma
0	No investigation (of cause of asthma)
1	Yes at hospital
2	Yes, by family doctor

## LAD53

**Label**

Left ear drum 53

*Source Questions***qi\_30\_b\_i**

Drums. Right

**qi\_30\_b\_ii**

Drums. Left

-9999	Unknown
-9899	Unknown
-9799	Unknown
-9199	Unknown (coded as /)
-8799	Unknown (coded as \$)
-8599	Unknown (coded as M)
-7999	Unknown (coded as T)
-7899	Unknown (coded as U)
0	Intact
1	Indrawn
2	Perforated
3	Obscured by wax
4	Other

## LAM53

**Label**

Left meatus 1953

*Source Questions***qi\_30\_a\_i**

External Auditory Meatus. Right

**qi\_30\_a\_ii**

External Auditory Meatus. Left

-9999	Unknown
-9899	Unknown
-9799	2 cases no label
-8999	Unknown (coded as S)

-8799	Unknown (coded as \$)
-7899	Unknown (coded as U)
0	Clear
1	Mucoid discharge
2	Purulent discharge
3	Wax
4	Other

LRI53

**Label**

Cough (without a cold) 1953

*Source Questions***qi\_7\_a**

Has this child during the last year had attacks of coughing when he has NOT got a cold?

-9999	Unknown
-9899	Unknown
-9799	Unknown (blank on rubric card)
0	No
1	Yes, sometimes
2	Yes, continually

LRID53

**Label**

Coughing attacks day or night 1953 (when not got a cold)

*Source Questions***qi\_7\_b**

When he coughs, is it at night only, in the day only or both in the day and night?

-9999	Unknown
-9899	Unknown
-9799	Does not apply
1	Night only
2	Day only
3	Both day and night

LYMA53

**Label**

Lymphatic glands (Axilla) 1953

*Source Questions***qi\_23\_i**

Lymphatic glands Neck (Exc. tonsillar glands)

-9999	Unknown
-9899	Unknown
-9799	2 cases no label
0	Lymphatic glands not palpable (axilla)
1	Palpable

LYMG53

**Label**

Lymphatic glands (Groin) 1953

*Source Questions***qi\_23\_ii**

Lymphatic glands Axilla

-9999	Unknown
-9899	Unknown
-9799	2 cases no label
0	Lymphatic glands not palpable (groin)
1	Palpable

LYMN53

**Label**

Lymphatic glands (Neck) 1953 (excluding tonsillar glands)

*Source Questions***qi\_23\_iii**

Lymphatic glands Groin

-9999	Unknown
-9899	Unknown
-9799	3 cases no label
0	Lymphatic glands not palpable (neck)

1	Palpable
---	----------

## MEUD2

**Label**

Height measure used

*Source Questions***qi\_28**

Present standing height. (WITHOUT SHOES.)

-9999	No D2
-9899	Unknown
-9799	Unknown
0	[1 case - no label]
1	Height measurer used
2	Measured against wall
3	[1 case - no label]
4	[1 case - no label]
8	[1 case - no label]

## MH53

**Label**

Metric height of SM in 1953 in mm (derived) (mean 1199.61 - 4140 observations)

*Source Questions***qi\_28**

Present standing height. (WITHOUT SHOES.)

-9999	Blank (103 on NHT50)
9997	Discarded in checking (777 on NHT53)
9999	Blank (103 on NHT53)

## MURL53

**Label**

Murmurs - lying 1953

*Source Questions***qi\_20\_b\_ii**

Murmurs. Lying

-9999	Unknown
-9899	Unknown
-9799	1 case no label
o	No murmurs heard
1	Murmur(s) heard

## MURS53

**Label**

Murmurs - standing 1953

*Source Questions*

**qi\_20\_b\_i**

Murmurs. Standing

-9999	Unknown
-9899	Unknown
-9799	3 cases no label
o	No murmurs heard
1	Murmur(s) present

## MW53

**Label**

Metric weight of SM in 1953 in kilos x 10 (derived) (mean 228.09 - 4000 observations)

*Source Questions*

**qi\_27**

Present weight. (In underpants or knickers only and WITHOUT SHOES. If this is impossible please list the clothes in which he was weighed ... ) ... st. ... lbs. ... ozs.

**qi\_27\_i**

Scales used.

-9999	Blank
9997	Discarded in checking
9999	Blank

## NAB53

**Label**

Nail biting at 7 years

*Source Questions***qi\_25**

Nails and fingers.

	+ Unknown (blank on rubric card)
	- Unknown

NAB531

**Label**

Nail biting at 7 years - first option chosen

*Source Questions***qi\_25**

Nails and fingers.

NAB532

**Label**

Nail biting at 7 years - second option chosen

*Source Questions***qi\_25**

Nails and fingers.

NAD53

**Label**

Nasal discharge - type - 1953

*Source Questions***qi\_17\_b**

Is it watery or muco-purulent?

NHT53

**Label**

Height at age 7 coded in inches

*Source Questions***qi\_28**

Present standing height. (WITHOUT SHOES.)

**Type**

Text

NIH53

**Label**

Indication of whether any change made to original height variable (NHT53)

*Source Questions*

**qi\_28**

Present standing height. (WITHOUT SHOES.)

**Type**

Text

NIWT53

**Label**

Indication of whether any change made to original weight variable (NWT53)

*Source Questions*

**qi\_27**

Present weight. (In underpants or knickers only and WITHOUT SHOES. If this is impossible please list the clothes in which he was weighed ... ) ... st. ... lbs. ... ozs.

**qi\_27\_i**

Scales used.

**Type**

Text

NOFITD2

**Label**

Number of fits & convulsions (actual number coded)

*Source Questions*

**qi\_13\_b**

How many fits or convulsions has he had during the last year? ... fits or convulsions

NOTD2

**Label**

Asthma - number of attacks

*Source Questions*

**qi\_6\_b**

How frequent are his asthmatic attacks?

NWT53

**Label**

Weight at age 7 coded in pounds

*Source Questions*

**qi\_27**

Present weight. (In underpants or knickers only and WITHOUT SHOES. If this is impossible please list the clothes in which he was weighed ... ) ... st. ... lbs. ... ozs.

**qi\_27\_i**

Scales used.

**Type**

Text

ONP53

**Label**

Obstructions of nasal passages 1953

*Source Questions*

**qi\_17\_d**

Are this child's nasal passages obstructed?

ORT53

**Label**

Orthopaedic defects 1953

*Source Questions*

**qi\_26**

Orthopaedic defects.

**qi\_26\_i**

Please give details

PHDVD2

**Label**

Physical developments

*Source Questions*

**qi\_35\_b**

Physical development.

PND53

**Label**

Post nasal discharge 1953

*Source Questions*

**qi\_17\_c**

Is there a post-nasal dis-charge hanging down behind the uvula?

PUE53

**Label**

Pulse rate minus 50 at beginning of actual examination by doctor i.e. section b of form

*Source Questions*

**qi\_16**

Pulse rate at beginning of examination ... per minute

PUL53

**Label**

Pulse rate minus 50 at end of doctor's actual examination i.e. section b of form

*Source Questions*

**qi\_34**

Pulse rate at end of examination ... per minute.

PULM53

**Label**

Lungs 1953

*Source Questions*

**qi\_19**

Are there any abnormal signs present in the lungs?

**qi\_19\_i**

Please describe

RAD53

**Label**

Right ear drum 1953

*Source Questions*

**qi\_30\_b\_i**

Drums. Right

**qi\_30\_b\_ii**

Drums. Left

RAM53

**Label**

Right meatus 1953

*Source Questions*

**qi\_30\_a\_i**

External Auditory Meatus. Right

**qi\_30\_a\_ii**

External Auditory Meatus. Left

RHYL53

**Label**

Heart rhythm lying 1953

*Source Questions*

**qi\_20\_a\_ii**

Rhythm Lying

RHYS53

**Label**

Heart rhythm standing 1953

*Source Questions*

**qi\_20\_a\_i**

Rhythm Standing

SCLSD2

**Label**

Type of weighing scales used - form D2

*Source Questions*

**qi\_27**

Present weight. (In underpants or knickers only and WITHOUT SHOES. If this is impossible please list the clothes in which he was weighed ... ) ... st. ... lbs. ... ozs.

**qi\_27\_i**

Scales used.

SIF53

**Label**

Frequency of recurrent vomiting during last year at 7 yrs

*Source Questions*

**qi\_u\_b**

About how often does he have these attacks?

SNEL53

**Label**

Snellen left eye without glasses 1953

SNER53

**Label**

Snellen right eye without glasses 1953

SNEX53

**Label**

Reason for not measuring acuity 1953

*Source Questions*

**qi\_31\_b\_i**

If acuity not measured please state reason

SNOR53

**Label**

Snoring 1953

*Source Questions*

**qi\_4\_b**

Does he snore at night?

SNUF53

**Label**

Snuffly or running nose during last year - asked in 1953

*Source Questions*

**qi\_4\_c**

How often has he had a snuffly or running nose during the last year?

SORE53

**Label**

Sore throats during last year - asked in 1953

*Source Questions*

**qi\_4\_d**

Has he had a sore throat during the last year? If so, how many has he had? ... sore throats

SPHD2

**Label**

Any speech abnormalities - form D2

*Source Questions*

**qi\_29\_a**

Speech.

SQU53

**Label**

Squint 1953

*Source Questions*

**qi\_31\_a**

Squint.

STHPYD2

**Label**

Therapy? - if yes to SPHD2

*Source Questions*

**qi\_29\_a**

Speech.

TADNA

**Label**

Adenoidal symptoms and signs (number of symptoms and signs seen)

*Source Questions*

**qi\_17\_d**

Are this child's nasal passages obstructed?

**qi\_4\_a**

Does this child breathe with his mouth open in the day time?

**qi\_4\_b**

Does he snore at night?

TCOGA

**Label**

Lower resp. infection 1952/53

*Source Questions*

**qi\_5\_c**

Why were they removed?

**qi\_7\_b**

When he coughs, is it at night only, in the day only or both in the day and night?

TERA

**Label**

Ear trouble 1952/53

*Source Questions*

**qi\_11\_b**

About how often does he have these attacks?

**qi\_12\_b**

Is he hard of hearing when he has colds?

**qi\_30\_a\_i**

External Auditory Meatus. Right

**qi\_30\_a\_ii**

External Auditory Meatus. Left

**qi\_30\_b\_i**

Drums. Right

**qi\_30\_b\_ii**

Drums. Left

**qi\_31\_a**

Squint.

TESA53

**Label**

Testes 1953

*Source Questions*

**qi\_22**

Are both testicles in the scrotal sac?

TONB53

**Label**

Benefit of tonsillectomy - asked by doctor to mother 1953

*Source Questions*

**qi\_5\_d**

Has his condition been better, worse or unchanged since their removal?

TONC53

**Label**

Tonsils - condition of crypts 1953

*Source Questions*

**qi\_18\_d**

Crypts.

TONG53

**Label**

Tonsils - size 1953

*Source Questions*

**qi\_18\_c**

Size of tonsils.

TONL53

**Label**

Waiting list for tonsillectomy - asked by doctor to mother 1953

*Source Questions*

**qi\_5\_h**

Is he on a waiting list for tonsillectomy?

TONM53

**Label**

Whether child's tonsils removed - mother asked by doctor 1953

*Source Questions*

**qi\_5\_a**

Have this child's tonsils been removed?

TON053

**Label**

Has anyone suggested removal of child's tonsils - if so who (asked by school doctor to mother)

*Source Questions*

**qi\_5\_f**

Has anyone suggested that his tonsils should be removed?

TONP53

**Label**

Tonsils - presence 1953

*Source Questions*

**qi\_18\_b**

Tonsils.

TONX53

**Label**

Tonsillar glands 1953

*Source Questions*

**qi\_18\_e**

Tonsillar glands.

TONY53

**Label**

Need for removal of tonsils - examining doctor's opinion 1953

*Source Questions*

**qi\_18\_f**

In your opinion should this child's tonsils be removed?

TREMA

**Label**

Tonsils

*Source Questions*

**qi\_18\_b**

Tonsils.

**qi\_4\_a**

Does this child breathe with his mouth open in the day time?

**qi\_5\_a**

Have this child's tonsils been removed?

**qi\_5\_h**

Is he on a waiting list for tonsillectomy?

*TSIGTA***Label**

Tonsils (number of signs of infected tonsils coded)

*Source Questions***qi\_18\_b**

Tonsils.

**qi\_18\_c**

Size of tonsils.

**qi\_18\_d**

Crypts.

**qi\_18\_e**

Tonsillar glands.

**qi\_4\_a**

Does this child breathe with his mouth open in the day time?

**qi\_5\_a**

Have this child's tonsils been removed?

**qi\_5\_h**

Is he on a waiting list for tonsillectomy?

*TURPA***Label**

Upper respiratory passages 1952/3

*Source Questions***qi\_17\_a**

Is there a nasal discharge?

**qi\_17\_b**

Is it watery or muco-purulent?

**qi\_17\_c**

Is there a post-nasal discharge hanging down behind the uvula?

**qi\_17\_d**

Are this child's nasal passages obstructed?

**qi\_18\_a**

Colour of pillars of fauces.

**qi\_20\_a\_i**

Rhythm Standing

**qi\_20\_a\_ii**

Rhythm Lying

**qi\_20\_a\_iii**

Please describe the nature of the irregularity

**qi\_20\_b\_i**

Murmurs. Standing

**qi\_20\_b\_ii**

Murmurs. Lying

**qi\_20\_b\_iii**

Please describe, giving timing and location

**qi\_20\_c**

Details of any other cardiac abnormalities not noted above

**qi\_21**

Is there any evidence of hernia or weakness of the inguinal canal?

WT53

**Label**

Weight at 7yrs - pants and knickers only - without shoes

*Source Questions***qi\_27**

Present weight. (In underpants or knickers only and WITHOUT SHOES. If this is impossible please list the clothes in which he was weighed ... ) ... st. ... lbs. ... ozs.

**qi\_27\_i**

Scales used.

**Variable Group - Health care****Concept**

105 - Health care

**Type**

ConceptGroup

**Items**

- [TONW4653 - Where tonsils removed up to 1953](#)

TONW4653

**Label**

Where tonsils removed up to 1953

*Source Questions***qi\_5\_b**

Where were they removed?

**Variable Group - Family and social networks****Concept**

107 - Family and social networks

**Type**

ConceptGroup

**Items**

- [PAINVD2 - Parent attending interview](#)
- [REL53 - Reliability of child's medical history given my mother to school doctor](#)

*PAINVD2***Label**

Parent attending interview

*Source Questions***qi\_3**

Parent or relative attending with child

*REL53***Label**

Reliability of child's medical history given my mother to school doctor

*Source Questions***qi\_36**

Estimate of the reliability of the medical history given by this mother.

**Logical Products****nshd\_53\_sd - 1953 School Doctor Logical Product**

1953 School Doctor Logical Product

**Physical Products**

nshd\_53\_sd

## Physical Instances

### 1953 School Doctor Dataset

Alternate Title: nshd\_53\_sd

#### Case Quantity

5362

## Code Lists

### 1953 School Doctor Codelist

- [ABD53](#)
- [ABPND2](#)
- [ALE53](#)
- [ALE532](#)
- [BRE53](#)
- [CARD53](#)
- [COLE53](#)
- [CTHSD2](#)
- [DAD2](#)
- [DEF53](#)
- [DRCND2](#)
- [EYO53](#)
- [FAU53](#)
- [FITD2](#)
- [FTOCD2](#)
- [GLA53](#)
- [HAN53](#)
- [HEAMD2](#)
- [HEAR53](#)
- [HLALD2](#)
- [HT53](#)
- [HTR53](#)
- [HTT53](#)
- [IMP53](#)
- [INVGD2](#)
- [LAD53](#)
- [LAM53](#)
- [LRI53](#)
- [LRID53](#)
- [LYMA53](#)

- LYMG53
- LYMN53
- MEUD2
- MH53
- MURL53
- MURS53
- MW53
- NAB53

**ABD53**

-9999	Unknown
-9899	Unknown
-9799	No abdominal pain
o	Abdominal pain but doctor not called in nor child taken to hospital
1	Doctor called in, but child not taken to hospital
2	Taken to hospital

**ABPND2**

-9999	No D2
-9899	Unknown
-9799	Unknown (blank on rubric card)
o	No
1	Yes

**ALE53**

-9999	unknown
-9899	unknown
-9799	no info on rubric card
o	Apathetic
1	Below average
2	Average
3	Above average

**ALE532**

-9999	unknown
3	Above average

**BRE53**

-9999	Unknown
-9899	Unknown
-9799	2 cases no label
0	No, does not breathe with mouth open in the daytime
1	Yes does breathe with mouth open in the daytime

**CARD53**

-9999	No answer
-9899	No answer
-9799	3 cases no label
0	No other abnormality present
1	Other abnormality present

**COLE53**

-9999	No D2
-9899	Unknown (blank on rubric card)
-9799	Question doesn't apply - not sometimes deaf
0	[1 case - no label]
1	Yes
2	No

**CTHSD2**

-9999	No D2
-9899	Unknown

-9799	Not answered
0	No clothes or pants & vest only
1	More clothes than pants and vest
4	[1 case - no label]

**DAD2**

-9999	No D2
-9899	Unknown date, or November 1953
-9799	Dec-53
0	Oct 53
1	Apr 53
2	Feb 53
3	Mar 53
4	Apr 53
5	May 53
6	June 53
7	July 53
8	Aug 53
9	Sept 53

**DEF53**

-9999	Unknown (blank on rubric card)
-9899	Unknown (blank on rubric card)
-9799	Unknown (blank on rubric card)
0	No abnormality present
1	Abnormality present
3	[1 case - no label]

**DRCND2**

-9999	no D2
-9899	Unknown
-9799	No asthma

0	No Dr consulted
1	Dr consulted

**EYO53**

-9999	Unknown
-9899	Unknown
-9799	Unknown (blank on rubric card)
0	No other defects
1	Some other eye defect

**FAU53**

-9999	Unknown
-9899	Unknown
-9799	Not seen - child gags
0	Not congested
1	Congested

**FITD2**

-9999	No D2
-9899	Unknown
-9799	Unknown (blank on rubric card)
0	No
1	Yes

**FTOCD2**

-9999	No D2
-9899	Unknown
-9799	No fits / convulsions
0	[2 cases - no labels]
1	During an illness
2	Whilst in normal health

## GLA53

-9999	Unknown
-9899	Unknown
-9799	Unknown (blank on rubric card)
o	No
1	Yes

## HAN53

-9999	Unknown
-9899	Unknown
-9799	2 cases no label
-8799	Unknown - coded as '\$'
o	[2 cases - no label]
1	Right hand
2	Left hand
3	Either hand

## HEAMD2

-9999	No D2
-9899	Unknown
-9799	Unknown (blank on rubric card)
o	Normal hearing
1	Sometimes deaf
2	Always deaf

## HEAR53

-9999	Unknown
-9899	Unknown
-9799	Unknown
-8799	Unknown (coded as \$)
o	[4 cases no label]

1	Very poor
2	Poor
3	Average or good

**HLALD2**

-9999	No D2
-9899	Unknown
-9799	No attacks
o	Less than 1 hour
9	9 or more hours

**HT53**

-9799	Unknown (coded as '+')
-9699	Unknown
-9599	Unknown (blank on rubric card)

**HTR53**

-9999	Unknown
-9899	Unknown
-9799	Does not apply - no heart trouble
o	No restriction of activities
1	Restriction of activities

**HTT53**

-9999	Unknown
-9899	Unknown
-9799	7 cases no label
-9099	Unknown - coded as '<'
o	No heart trouble
1	Yes, heart trouble

## IMP53

-9999	Unknown
-9899	Unknown
-9799	3 cases no label
0	No
1	Yes

## INVGD2

-9999	No D2
-9899	Unknown
-9799	No asthma
0	No investigation (of cause of asthma)
1	Yes at hospital
2	Yes, by family doctor

## LAD53

-9999	Unknown
-9899	Unknown
-9799	Unknown
-9199	Unknown (coded as /)
-8799	Unknown (coded as \$)
-8599	Unknown (coded as M)
-7999	Unknown (coded as T)
-7899	Unknown (coded as U)
0	Intact
1	Indrawn
2	Perforated
3	Obscured by wax
4	Other

## LAM53

-9999	Unknown
-9899	Unknown
-9799	2 cases no label
-8999	Unknown (coded as S)
-8799	Unknown (coded as \$)
-7899	Unknown (coded as U)
0	Clear
1	Mucoid discharge
2	Purulent discharge
3	Wax
4	Other

**LRI53**

-9999	Unknown
-9899	Unknown
-9799	Unknown (blank on rubric card)
0	No
1	Yes, sometimes
2	Yes, continually

**LRID53**

-9999	Unknown
-9899	Unknown
-9799	Does not apply
1	Night only
2	Day only
3	Both day and night

**LYMA53**

-9999	Unknown
-9899	Unknown
-9799	2 cases no label

0	Lymphatic glands not palpable (axilla)
1	Palpable

**LYMG53**

-9999	Unknown
-9899	Unknown
-9799	2 cases no label
0	Lymphatic glands not palpable (groin)
1	Palpable

**LYMN53**

-9999	Unknown
-9899	Unknown
-9799	3 cases no label
0	Lymphatic glands not palpable (neck)
1	Palpable

**MEUD2**

-9999	No D2
-9899	Unknown
-9799	Unknown
0	[1 case - no label]
1	Height measurer used
2	Measured against wall
3	[1 case - no label]
4	[1 case - no label]
8	[1 case - no label]

**MH53**

-9999	Blank (103 on NHT50)
9997	Discarded in checking (777 on NHT53)

9999	Blank (103 on NHT53)
------	----------------------

**MURL53**

-9999	Unknown
-9899	Unknown
-9799	1 case no label
o	No murmurs heard
1	Murmur(s) heard

**MURS53**

-9999	Unknown
-9899	Unknown
-9799	3 cases no label
o	No murmurs heard
1	Murmur(s) present

**MW53**

-9999	Blank
9997	Discarded in checking
9999	Blank

**NAB53**

+	Unknown (blank on rubric card)
-	Unknown

# 1953 School questionnaire Resource Package

Alternate Title: nshd\_53\_sq

## Category Lists

### CLAR53

- Unknown
- Unknown
- Mongol etc. (i.e. Downs Syndrome)
- Less than 9 months
- 9-15 months
- 15 months to 2 years
- More than 2 years
- [1 case - no label]
- [1 case - no label]

### CLN53

- Unknown
- Unknown
- Mongol etc. (i.e. Downs Syndrome)

### NOPE

- Insufficient information

### NSC

- Unknown (blank on rubric card)
- Unknown
- No
- Yes

### REAT

- Unknown
- Unknown
- Unknown
- Unknown: coded as K
- [2 cases - no label]
- Yes
- No

**SCHT53**

- Unknown
- Unknown
- Mongol etc. (i.e. special school)
- Maintained or assisted
- Private or Independent

**Variables****nshd\_53\_sq**

- serno
- CLAR53 - Age range of children in class 1953
- CLN53 - Number of children in the class to which this child belongs (1953) actual no. coded
- NOPE - No. of primary schools before 7 yrs 3 mths. Actual no. coded.
- NSC - Whether new school at 8 3/12 yrs or 9 3/12 yrs
- REAT - Whether taught to read before formal education
- SCHT53 - Type of school 1953
- SPS - Month and year of starting school (first digit codes for the month [- = Nov, + = Dec], second digit is the final digit of the year, e.g. March 1951 = 31)
- TCH - Number of teacher changes since child came to this school. Actual no. coded
- TINT53 - Teacher's estimate of parental interest in school progress of child 1953

**serno****CLAR53****Label**

Age range of children in class 1953

**Source Questions****qi\_2\_d**

Age range of children in this class?

-9999	Unknown
-9899	Unknown
-9799	Mongol etc. (i.e. Downs Syndrome)
1	Less than 9 months
2	9-15 months
3	15 months to 2 years
4	More than 2 years

5	[1 case - no label]
6	[1 case - no label]

**CLN53****Label**

Number of children in the class to which this child belongs (1953) actual no. coded

**Source Questions****qi\_2\_c**

Number of children in the class to which this child belongs? ... children.

-9999	Unknown
-9699	Unknown
-9599	Mongol etc. (i.e. Downs Syndrome)

**NOPE****Label**

No. of primary schools before 7 yrs 3 mths. Actual no. coded.

-9899	Insufficient information
-------	--------------------------

**NSC****Label**

Whether new school at 8 3/12 yrs or 9 3/12 yrs

**Source Questions****qi\_4**

Is this child leaving this school at the end of the Summer Term, 1953?

-9999	Unknown (blank on rubric card)
-9899	Unknown
0	No
1	Yes

**REAT****Label**

Whether taught to read before formal education

**Source Questions****qi\_3\_c**

Had anybody tried to teach him to read before this formal education was started.

-9999	Unknown
-9899	Unknown
-9799	Unknown
-9399	Unknown: coded as K
o	[2 cases - no label]
1	Yes
2	No

**SCHT53****Label**

Type of school 1953

**Source Questions****qi\_2\_b**

Type of school?

-9999	Unknown
-9899	Unknown
-9799	Mongol etc. (i.e. special school)
1	Maintained or assisted
2	Private or Independent

**SPS****Label**

Month and year of starting school (first digit codes for the month [- = Nov, + = Dec], second digit is the final digit of the year, e.g. March 1951 = 31)

**Type**

Text

**TCH****Label**

Number of teacher changes since child came to this school. Actual no. coded

**Source Questions****qi\_3\_a**

How many changes of teacher has this child had since he came to this school? ... changes.

**TINT53****Label**

Teacher's estimate of parental interest in school progress of child 1953

**Source Questions****qi\_3\_d**

Can you say to what extent this child's parents show interest in his progress at school?

**Variable Group - Education****Concept**

108 - Education

**Type**

ConceptGroup

**Items**

- CLAR53 - Age range of children in class 1953
- CLN53 - Number of children in the class to which this child belongs (1953) actual no. coded
- NOPE - No. of primary schools before 7 yrs 3 mths. Actual no. coded.
- NSC - Whether new school at 8 3/12 yrs or 9 3/12 yrs
- REAT - Whether taught to read before formal education
- SCHT53 - Type of school 1953
- SPS - Month and year of starting school (first digit codes for the month [- = Nov, + = Dec], second digit is the final digit of the year, e.g. March 1951 = 31)
- TCH - Number of teacher changes since child came to this school. Actual no. coded
- TINT53 - Teacher's estimate of parental interest in school progress of child 1953

**CLAR53****Label**

Age range of children in class 1953

**Source Questions****qi\_2\_d**

Age range of children in this class?

-9999	Unknown
-9899	Unknown
-9799	Mongol etc. (i.e. Downs Syndrome)

1	Less than 9 months
2	9-15 months
3	15 months to 2 years
4	More than 2 years
5	[1 case - no label]
6	[1 case - no label]

## CLN53

**Label**

Number of children in the class to which this child belongs (1953) actual no. coded

*Source Questions***qi\_2\_c**

Number of children in the class to which this child belongs? ... children.

-9999	Unknown
-9699	Unknown
-9599	Mongol etc. (i.e. Downs Syndrome)

## NOPE

**Label**

No. of primary schools before 7 yrs 3 mths. Actual no. coded.

-9899	Insufficient information
-------	--------------------------

## NSC

**Label**

Whether new school at 8 3/12 yrs or 9 3/12 yrs

*Source Questions***qi\_4**

Is this child leaving this school at the end of the Summer Term, 1953?

-9999	Unknown (blank on rubric card)
-9899	Unknown
0	No
1	Yes

REAT

**Label**

Whether taught to read before formal education

*Source Questions***qi\_3\_c**

Had anybody tried to teach him to read before this formal education was started.

-9999	Unknown
-9899	Unknown
-9799	Unknown
-9399	Unknown: coded as K
0	[2 cases - no label]
1	Yes
2	No

SCHT53

**Label**

Type of school 1953

*Source Questions***qi\_2\_b**

Type of school?

-9999	Unknown
-9899	Unknown
-9799	Mongol etc. (i.e. special school)
1	Maintained or assisted
2	Private or Independent

SPS

**Label**

Month and year of starting school (first digit codes for the month [- = Nov, + = Dec], second digit is the final digit of the year, e.g. March 1951 = 31)

**Type**

Text

TCH

**Label**

Number of teacher changes since child came to this school. Actual no. coded

*Source Questions*

**qi\_3\_a**

How many changes of teacher has this child had since he came to this school? ... changes.

TINT53

**Label**

Teacher's estimate of parental interest in school progress of child 1953

*Source Questions*

**qi\_3\_d**

Can you say to what extent this child's parents show interest in his progress at school?

**Logical Products****nshd\_53\_sq - 1953 School questionnaire Logical Product**

1953 School questionnaire Logical Product

**Physical Products****nshd\_53\_sq****Physical Instances****1953 School questionnaire Dataset**

Alternate Title: nshd\_53\_sq

**Case Quantity**

5362

**Code Lists****1953 School questionnaire Codelist**

- [CLAR53](#)
- [CLN53](#)

- NOPE
- NSC
- REAT
- SCHK53

## CLAR53

-9999	Unknown
-9899	Unknown
-9799	Mongol etc. (i.e. Downs Syndrome)
1	Less than 9 months
2	9-15 months
3	15 months to 2 years
4	More than 2 years
5	[1 case - no label]
6	[1 case - no label]

## CLN53

-9999	Unknown
-9699	Unknown
-9599	Mongol etc. (i.e. Downs Syndrome)

## NOPE

-9899	Insufficient information
-------	--------------------------

## NSC

-9999	Unknown (blank on rubric card)
-9899	Unknown
0	No
1	Yes

## REAT

-9999	Unknown
-------	---------

-9899	Unknown
-9799	Unknown
-9399	Unknown: coded as K
o	[2 cases - no label]
1	Yes
2	No

### SCHT53

-9999	Unknown
-9899	Unknown
-9799	Mongol etc. (i.e. special school)
1	Maintained or assisted
2	Private or Independent